Material Safety Data Sheet

May be used to comply with

OSHA's Hazard Communication Standard

29 CFR 1910.1200. Standard must be

consulted for specific requirements

IDENTITY
30-40 Volume Developer and Other Products
Containing > 8% Hydrogen Peroxide

U.S. Department of Labor

Occupation Safety and Health Administration

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I	
Manufacturer's Name	Emergency Telephone Number
L'Oreal USA Products, Inc.	(800) 535-5053 (Int'l 352-323-3500)
Address (Number, Street, City, State, and ZIP Code)	Telephone Number For Information
111 Terminal Avenue	(732) 499-2745
III ICIMIMA PI	Date Prepared
Clark, NJ 07066	September 27, 2004
Clarky No Cycle	Signature of Preparer (optional)
V a	GCD

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))

OSHA PEL

ACGIH
TLV
Recommended % (optional)

Hydrogen Peroxide

1 ppm

>88

#99-029

Section III - Physical/Chemical Chara		Specific Gravity (H2O = 1)	
Boiling Point	~212°F	Specific Gravity (Fize 17	~1
***	~212 F		
Vapor Pressure (mm Hg)		Melting Point	is)
	N/A		N/A
Vapor Density (AIR = 1)		Evaporation Rate	
	N/A	(Butyl Acetate = 1)	<1
Solubility in Water			-
Miscible	H = ~2.5		
Appearance and Odor	21		
Appearance and Odor White, creamy, thick liquid with	a faint odor.		
Appearance and Odor White, creamy, thick liquid with	a faint odor.		
Appearance and Odor White, creamy, thick liquid with Section IV - Fire and Explosion Hazar	a faint odor.	nmable Limits LEL	UEL
Appearance and Odor White, creamy, thick liquid with	a faint odor.		UEL N/A
Appearance and Odor White, creamy, thick liquid with Section IV - Fire and Explosion Hazar Flash Point (Method Used) >200°F (closed cup) Extinguishing Media	a faint odor. d Data Flan Nor	ne N/A	
Appearance and Odor White, creamy, thick liquid with Section IV - Fire and Explosion Hazar Flash Point (Method Used) >200°F (closed cup)	a faint odor. d Data Flan Nor	ne N/A	

Unusual Fire and Explosion Hazards

burning material.

Caution: Oxidizer. Residual product on towels, sponges, or mops may cause fire. Rinse towels thoroughly before disposal. Rinse sponges and mops thoroughly before storage.

Upon decomposition, peroxides yield oxygen and may thereby stimulate the combustion of flammable and combustible materials. Extinguish fires with media appropriate for the

	58-85 B - 4-			#99 -029
Section V - Ro	Unstable Unstable		Conditions to Avoid conditions to Avoid reducing a	tact with iron, zinc, and agents.
	Stable	Х		N. T. C.
Incompatibility (Ma	aterials to Avoid)	10		iron ging and reducing
	mpounds (incl	uding f	lammables and combustible	es), iron, zinc, and reducing
agents.	wise or Rupmdu	cte	10	
	position or Byprodu	Clo		
None known.	May Occur	1	Conditions to	2 S
Hazardous	Way Occur	1.	Avoid	
Polymerization	Will Not Occur	X	None knows	1.
Section VI - H	ealth Hazard Da	ata	011.0	Ingestion?
Route(s) of Entry:		Inhalation?	Skin?	Not likely.
2)		Yes	Yes	MOC TIKETA.
Health Hazards (A	Acute and Chronic)			valleyed May cause severe
	14 2016	ere eye	irritation. Harmful if su	wallowed. May cause severe
	14 2016	ere eye	irritation. Harmful if su embranes if swallowed.	wallowed. May cause severe
	14 2016	ere eye	irritation. Harmful if so embranes if swallowed.	wallowed. May cause severe
May cause s irritation	14 2016	nucous n	embranes II swallowed.	wallowed. May cause severe nographs? OSHA Regulated?
	skin and seve of gastric m	NTP?	embranes II swallowed.	
May cause s irritation Carcinogenicity:	skin and seve of gastric m	nucous n	IARC Mo	nographs? OSHA Regulated?
May cause s irritation Carcinogenicity:	skin and seve of gastric m	NTP?	IARC Mo	nographs? OSHA Regulated?
May cause s irritation Carcinogenicity:	skin and seve of gastric m	NTP?	IARC Mo	nographs? OSHA Regulated?
May cause sirritation Carcinogenicity: Signs and Symptoteritation	of gastric moments of gastric moments of Exposure of skin, eye	NTP? No es, and,	IARC Mo No or mucous membranes.	nographs? OSHA Regulated?
May cause sirritation Carcinogenicity: Signs and Symptoteritation	of gastric moments of gastric moments of Exposure of skin, eyes	NTP? No es, and,	IARC Mo No or mucous membranes.	nographs? OSHA Regulated?

If swallowed, drink one or two glasses of water or milk. Call a phys emergency room, or poison control center immediately. Do not induce vomiting. Get medical attention. If in eyes, flush with water for at least 15 minutes and get medical attention. If on skin, flush with water, then wash with soap and plenty of water. Consult a physician if irritation occurs.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

For small spills, wipe up with paper towels or a sponge. Wash area with water. Rinse paper towels, sponges, or mops thoroughly prior to disposal or storage. For large spills, dike and contain the free liquid. Use absorbant material to solidify spill and then place in UN specification drums for disposal.

Waste Disposal Method

30-40 volume developer products are ignitable (D001) RCRA hazardous wastes when intended for disposal. Physical and/or chemical deactivation/degredation is the required method of treatment and disposal.

Precautions to be Taken in Handling and Storage

Do not use or store with near fuels, solvents, or other organic materials. Avoid iron, zinc, and reducing agents. Store in a cool place away from direct sunlight. Keep out of reach of children.

Other Precautions

For external use only. Use only as directed.

Section VIII - Control Measures

#99-029

Respiratory Protection (Specify Type)

None required for product use. For handling bulk quantities, use NIOSH-approved respirator if peroxide TLV is exceeded. For spills or fires, wear a self-contained

breathing apparatus.

Ventilation Local Exhaust Recommended Special

Mechanical(General) Acceptable Other

Protective Gloves

Plastic or rubber.

Other Protective Clothing or Equipment

Safety glasses with side shields (or full face shield) and protective clothing are recommended for manufacturing operations. Safety shower and eyewash station should be immediately available.

Work/Hygienic Practices

OSHA hazard classification: Oxidizer, irritant, slightly toxic.

DOT classification: Bulk - Hydrogen Peroxide, aqueous solution 5.1 UN 2984 PGIII

Finished Product - Consumer Commodity, ORM-D.

Forms published by ChemSW (707)864-0845