Ethanol, Denatured, 95%



Section 1

Product Description

Product Name: Ethanol, Denatured, 95% Science education applications

Synonyms: Alcohol, Ethyl alcohol

Distributor: Carolina Biological Supply Company

2700 York Road, Burlington, NC 27215

1-800-227-1150

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)

Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER





Highly flammable liquid and vapor. May cause damage to organs.

GHS Classification:

Flammable Liquid Category 2, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 2

Other Safety Precautions: IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

Section 3 Composition / Information on Ingredients

Chemical Name	<u>CAS #</u>	<u>%</u>
Ethanol	64-17-5	85.98
Water	7732-18-5	5
2-Propanol	67-63-0	4.75
Methanol	67-56-1	4.28

Section 4

First Aid Measures

Emergency and First Aid Procedures

Inhalation: In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Eyes: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact: After contact with skin, wash immediately with plenty of water.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5

Firefighting Procedures

Extinguishing Media: Use dry chemical, CO2 or appropriate foam.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards: Vapors may travel back to ignition source. Closed Containers exposed to heat may

explode.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide

Section 6

Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this (M)SDS Ventilate the contaminated area. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation. Isolate area. Keep unnecessary personnel away.

Ventilate the area by opening door and/or turning on fans and blowers. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.

Section 7

Handling and Storage

Handling: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../

equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this

product. Wear protective gloves/protective clothing/eye protection/face protection.

Storage: Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Suitable for any

general chemical storage.

Storage Code: Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8

Protection Information

	ACC	<u>GIH</u>	<u>OSHA PEL</u>	
Chemical Name	<u>(TWA)</u>	(STEL)	(TWA)	(STEL)
Ethanol	N/A	1000 ppm STEL	1000 ppm TWA;	N/A
			1900 mg/m3 TWA	
2-Propanol	200 ppm TWA	400 ppm STEL	400 ppm TWA; 980	N/A
			mg/m3 TWA	
Methanol	200 ppm TWA	250 ppm STEL	200 ppm TWA; 260	N/A
			ma/m3 TWA	

Control Parameters

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE):

Respiratory Protection:

Lab coat, apron, eye wash, safety shower.

No respiratory protection required under normal conditions of use. Provide general room

exhaust ventilation if symptoms of overexposure occur as explained Section 11. A

respirator is not normally required.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are

above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection. Wear chemical splash goggles when handling this product. Have an eye wash station

Eye Protection: Wear che available.

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular

intervals. Clean protective equipment regularly. Wash hands and other exposed areas

with mild soap and water before eating, drinking, and when leaving work

Gloves: Nitrile

Section 9

Skin Protection:

Physical Data

Formula: CH3CH2OH

Molecular Weight: (Ethanol) 46.07 Appearance: Colorless Liquid Odor: Moderate Alcohol Odor

Odor Threshold: No data available

pH: No data available Melting Point: -114 C Boiling Point: 79 C

Flash Point: 17 C

Flammable Limits in Air: 3.3 - 19% (Ethanol)

Vapor Pressure: 57.3 hPa at 20°C Evaporation Rate (BuAc=1): 3.3 Vapor Density (Air=1): 1.6

Specific Gravity: (Ethanol) 0.789 at 20 °C

Solubility in Water: Soluble Log Pow (calculated): -0.32 Autoignition Temperature: 363 C

Decomposition Temperature: No data available

Viscosity: No data available
Percent Volatile by Volume: 95%

Section 10

Reactivity Data

Reactivity: Not generally reactive under normal conditions.

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: Temperatures above flash point in combination with sparks, open flames, or other

sources of ignition.

Incompatible Materials: Organic Peroxides, Strong acids, Oxidizing materials, Water-reactive materials

Hazardous Decomposition Products: Carbon dioxide
Hazardous Polymerization: Will not occur

Section 11 Toxicity Data

Routes of Entry Inhalation and ingestion.

Symptoms (Acute): Respiratory Irritation, Dermititis, Central Nervous System Depression

Delayed Effects: Liver disorders

Acute Toxicity:

Chemical Name CAS Number Oral LD50 **Dermal LD50** Inhalation LC50 7732-18-5 Oral LD50 Rat Water 90000 mg/kg 67-63-0 INHALATION 2-Propanol Oral LD50 Rat LC50 Rat 16000 5045 mg/kg Oral LD50 Mouse ppm 3600 mg/kg Methanol 67-56-1 Oral LD50 Mouse INHALATION 7300 ma/ka LC50 Rat 64000

Carcinogenicity:

Chemical Name NTP OSHA CAS Number IARC Listed Listed Listed Ethanol 64-17-5 Not listed 2-Propanol 67-63-0 Listed Not listed 67-56-1 Not listed Not listed Methanol Not listed

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect.

Teratogenicity: No evidence of a teratogenic effect (birth defect).

Sensitization: No evidence of a sensitization effect.

Reproductive: No evidence of negative reproductive effects.

Target Organ Effects:

Acute: Central Nervous System, Eyes

Chronic: Eyes

Section 12 Ecological Data

Overview: Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or

wildlife.

Mobility: This material is expected to have moderate mobility in soil. It absorbs to most soil types.

Persistence: Biodegradation

Bioaccumulation: Bioconcentration is not expected to occur.

Degradability: Biodegrades quickly.

Other Adverse Effects: No data

Chemical NameCAS NumberEco ToxicityEthanol64-17-596 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC]

 Water
 7732-18-5
 No data available

 2-Propanol
 67-63-0
 96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 μG/L

 Methanol
 67-56-1
 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC]

48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L 48 HR EC50 DAPHNIA MAGNA 13299 MG/L

72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L

Section 13 Disposal Information

mag

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14

Transport Information

Ground - DOT Proper Shipping Name:

UN1170Ethanol SolutionsClass 3P.G. II

Air - IATA Proper Shipping Name: UN1170

Ethanol Solutions

Class 3 P.G. II

Section 15 Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Ethanol	64-17-5	No	No	No	No	No
2-Propanol	67-63-0	Isopropyl alcohol	No	No	No	No
Methanol	67-56-1	No	No	No	No	No

California Prop 65: WARNING: This product contains a chemical known to the state of California

to cause cancer and birth defects or other reproductive harm.

Section 16

Additional Information

Revised: 10/26/2015 Replaces: 10/20/2015 Printed: 10-29-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary	,
----------	---

Ciocoui y			
ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health