### MATERIAL SAFETY DATA SHEET

Page 1 of 7 **MSDS-070** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010 1. PRODUCT IDENTIFICATION Product Name: PEDICURE BY OPI MASK 1.2 Chemical Name: **AQUEOUS LOTION** 1.3 Synonyms: 1.4 Trade Names: PC134, PC137, PC138, PC139 1.5 Product Use: PROFESSIONAL OR SUNDRY USE ONLY 1.6 Manufacturer's Name: OPI PRODUCTS, INC. 1.7 Manufacturer's Address: 13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / \_1 (800) 424-9300 1.9 Business Phone: +1 (818) 759-2400 / +1 (800) 341-9999 2. HAZARD IDENTIFICATION 2.1 Hazard Identification: This product is NOT classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). Routes of Entry: Inhalation: NO YES Absorption: Ingestion: YES 2.3 Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Slightly irritating to the eyes. May be irritating to skin in some sensitive individuals, especially after prolonged contact. SKIN & EYES: INHALATION: Inhalation is unlikely, however, vapors of this product may be slightly irritating to some sensitive individuals. 2.4 Symptoms of Overexposure: Symptoms of overexposure may include redness, itching, and irritation. 2.5 Acute Health Effects: Redness, itching, and irritation of skin at the site of contact for some sensitive individuals. 2.6 No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion. Methylparaben and propylparaben, contained in very small quantities in this product, may be mild allergens to some sensitive individuals. Target Organs: 2.7 Eyes, skin. NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.

# $0.9 \cdot 1$

### **MATERIAL SAFETY DATA SHEET**

Page 2 of 7

MSDS-070

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1

MSDS Revision Date: 02/08/2010

2	COMBO	ACITION	101	NICHEN	<b>IENT INFOR</b>	MAATIONI
J.	COMPC	Jaimon	4 & 1	NGKED	IENI INFOR	MAIICIN

							EXPO	SURE I	I STIMI.	N AIR	(mg/m	1 <sup>3</sup> )	
					ACGIH		NOHSC			AH2O			
					pp	m		ppm			ppm		OTHER
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDIH	
AQUA (WATER)	7732-18-5	ZC0110000	231-791-2	≤ 70.0	NE	NE	NF	NF	NF	NE	NE	NE	
KAOLIN	1332-58-7	GF1670500	310-194-1	≤ 15.0	(2)	NA	NF	NF	NF	(2)	NA	NA	RESP FRAC
BENTONITE	1302-78-9	NA	215-108-5	≤ 2.0	(10)	NA	NF	NF	NF	(15)	NA	NA	
GLYCERIN	56-81-5	MA8050000	200-289-5	≤ 2.0	(5)	NA	NF	NF	NF	(5)	NA	NA	
STEARIC ACID	57-11-4	WI2800000	200-313-4	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
PERSEA GRATISSIMA (AVOCADO) EXTRACT	84695-98-7	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
BUTYROSPERNUM PARKII (SHEA BUTTER) EXTRACT	194043-92-0	NA	270-311-6	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
CITRIC ACID	77-92-9	GE7350000	201-069-1	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
SODIUM LAURETH SULFATE	9004-82-4	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
MENTHOL	89-78-1	OT0350000	218-690-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CAMELLIA OLEIFERA (GREEN TEA) EXTRACT	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CUCUMIS SATIVUS (CUCUMBER) EXTRACT	89998-01-6	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
FRAGRANCE (PARFUM)	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
METHYLPARABEN	99-76-3	DH2450000	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PROPYLPARABEN	94-13-3	DH2800000	202-307-7	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PHENOXYETHANOL	122-99-6	KM0350000	204-589-7	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 42090 (BLUE 1)	3844-45-9	NA	223-339-8	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 19140 (YELLOW 5)	1934-21-0	NA	217-699-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 17200 (RED 33)	3567-66-6	NAA	222-656-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	

#### 4 FIRST AID MEASURES

		4. TR31 AID MEASURES	
4.1	First Ald:		
	INGESTION:	If ingested, do not induce vomiting. Drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, conting plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control local emergency number. Provide an estimate of the time and amount of the substance that was swallowed.	
	EYES:	If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and clos to ensure thorough irrigation. If problem persists, consult a physician.	e eyelid(s)
	SKIN:	If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm soap. If irritation persists, consult a physician.	water and
	INHALATION:	Remove victim to fresh air at once.	
4.2		s Aggravated by Exposure:	0
	None known.		_
		FLAMMABILITY	0
		REACTIVITY	0
		PROTECTIVE EQUIPMENT	

**EYES** 

### MATERIAL SAFETY DATA SHEET

Page 3 of 7

MSDS-070

Prep	ared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2,1 MSDS Revision Date: 02/08/2010
	5. FIREFIGHTING MEASURES
5.1	Flashpoint & Method:
5.0	Non-flammable.
5.2	Autolgnitlon Temperature: NA
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA
5.4	Fire & Explosion Hazards:
	This product is non-flammable.
5.5	ExtInguIshIng Methods:
	NA O O
5.6	Firefighting Procedures:
	NA V
	У.
	6. ACCIDENTAL RELEASE MEASURES
6.1	Sollis:
	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.
	For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open
	doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal.
	Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with
	plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.
	For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer
	product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove
	contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal
	sewers and open bodies of water.
	7. HANDLING & STORAGE INFORMATION
7.1	Work & Hyglene Practices:
/	Avoid eye contact.
7.2	Storage & Handling;
	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked
	containers or storage devices. Keep containers securely closed when not in use.
7.3	Special Precautions:
	Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.
	8. EXPOSURE CONTROLS & PERSONAL PROTECTION
8.1	Ventilation & Engineering Controls:
	General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.
8.2	Respiratory Protection:
	None required if used in a well-ventilated area.
8.3	Eye Protection:  Available over contract. None required under nermal conditions of use
9.4	Avoid eye contact. None required under normal conditions of use.  Hand Protection:
8.4	None required under normal conditions of use.
8.5	Body Protection:
0.0	None required under normal conditions of use.
	None required under normal containons of use.

### **MATERIAL SAFETY DATA SHEET**

Page 4 of 7 **MSDS-070** 

rep	area to OSHA, ACC, ANSI, NC	HSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010		
-		9. PHYSICAL & CHEMICAL PROPERTIES		
1	Density:	1.35		
2	Bolling Point:	ND		
3	Melting Point:	ND		
4	Evaporation Rate:	ND		
5	Vapor Pressure:	ND		
6	Molecular Welght:	ND		
7	Appearance & Color:	Viscous, pale green colored creme with characteristic odor.		
В	Odor Threshold:	ND		
.9	Solubility:	Miscible with water.		
10	рН	5.8		
.11	Viscosity:	NA		
12	Other Information:	NA		
_		10 CTABILITY & DEACTIVITY		
1	Stability:	10. STABILITY & REACTIVITY		
).1	This product is stable.			
0.2	Hazardous Decomposition Products: Oxides of carbon and nitrog	en.		
).3	Hazardous Polymertzatlon: Will not occur.			
0.4	Conditions to Avoid: Open flames, sparks, high heat and direct sunlight.			
).5	Incompatible Substances: None known.			
	None known.			
		11. TOXICOLOGICAL INFORMATION		
.1	Toxicity Data:			
1.2	Acute Toxicity:	sted for specific toxicity data.		
1.3	See section 2.5 Chronic Toxicity:			
1.4	See section 2.6 Suspected Carcinogen:			
1.5	No.  Reproductive Toxicity:			
.5	This product is not reported t	produce reproductive toxicity in humans.		
		o produce mutagenic effects in humans.		
8		o produce embryotoxic effects in humans.		
	Teratogenicity: This product is not reported to	o produce teratogenic effects in humans.		
	Reproductive Toxicity: This product is not reported to	o produce reproductive effects in humans.		
.6	Irritancy of Product: See Section 2.3			
.7	Biological Exposure Indices: <b>NE</b>			
.8	Physician Recommendations:  Treat symptomatically.			
		12. ECOLOGICAL INFORMATION		
2.1	Environmental Stability: There is no specific data ava			
2.2	Effects on Plants & Animals: There is no specific data ava	2027		
2.3	Effects on Aquatic Life:	ilable for this product.		

### MATERIAL SAFETY DATA SHEET

Page 5 of 7 **MSDS-070** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010 13. DISPOSAL CONSIDERATIONS Waste Olsposal: Dispose of in accordance with Federal, state and local regulations. 13.2 Special Considerations: NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadlan GND): NOT REGULATED 14.5 ADR/RID (EU): NOT REGULATED 14.6 MEXICO (SCT): **NOT REGULATED** ADGR (Australia): **NOT REGULATED** 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: NA 15.2 SARA Threshold Planning Quantity: NA 15.3 All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status. 15.4 CERCLA Reportable Quantity (RQ): NA 15.5 Other Federal Regulrements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). 15.6 This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: None of the ingredients in this mixture are found on any of the state criteria lists, 15.8 67/548/EEC (European Union) Regulrements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.

 $0.9 \cdot 1$ 

### **MATERIAL SAFETY DATA SHEET**

Page 6 of 7

MSDS-070

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 02/08/2010 16. OTHER INFORMATION Other Information: 16.1 Use only as directed. Discontinue use immediately if irritation develops. 16.2 Terms & Definitions: Please see last page of this MSDS. 16.3 This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910,1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: OPI Products, Inc. 13034 Saticoy Street  $0.P \cdot I$ No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opl.com/ 16.5 Prepared by: ShipMate, Inc.

16.5 Prepared by:
ShipMate, Inc.
P.O. Box 787
Sisters, OR. 97759-0787
+1 (310) 370-3600 phone
+1 (310) 370-5700 fax
http://www.shipmate.com/



### **MATERIAL SAFETY DATA SHEET**

Page 7 of 7

MSDS-070

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1

MSDS Revision Date: 02/08/2010

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

1200141111000001000001	
CAS No.	Chemical Abstract Service Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person
	whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide
	compressions and breathing to circulate blood and provide
	oxygen to the body.


#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



#### PERSONAL PROTECTION RATINGS:







Vapor Respirator









Alrline Hood/Mask

or SCBA

Dust & Vapor Respirator

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

Full Face

Respirator

#### OTHER STANDARD ABBREVIATIONS:

NA	Not Available	
NR	No Results	
NE	Not Established	
- ND	Not Determined	
ML	Maximum Limit	
SCBA	Self-Contained Breathing Apparatus	


#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

#### FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion
Temperature	in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by
	volume, that will explode or ignite in the presence of
	an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air,
	by volume, that will explode or ignite in the presence of
	an janition source

#### **HAZARD RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
<del>-₩-</del>	Use No Water
ОХ	Oxidizer



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s					
LC50	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TDio	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or TC, TC <sub>o</sub> , LC <sub>Io</sub> , & LC <sub>o</sub>	Lowest dose (or concentration) to cause lethal or toxic effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	TSCA U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					

#### **EC INFORMATION:**

12	*	310			<b>8</b>	11	.\
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxldizing	Toxlc	Irrilant	Harmful