# Material Safety Data Sheet

Potassium hydrogen phthalate MSDS# 19425 Section 1 - Chemical Product and Company Identification MSDS Name: Potassium hydrogen phthalate Catalog Numbers: 17712-0000, 17712-0050, 41795-0000, 41795-1000, 41795-5000, 42406-0000, 42406-0050, 42406-1000, 42406-5000, P/5320/48, P/5320/50, P/5320/53, P/5320/60 Synonyms: Potassium biphthalate; Potassium acid phthalate. Company Identification: Fisher Scientific UK Bishop Meadow Road, Loughborough Leics. LE11 5RG For information in Europe, call: (01509) 231166 Emergency Number, Europe:01509 231166

Section2 - Composition, Information on Ingredients

CAS#: 877-24-7 Chemical Name: Potassium hydrogen phthalate %: 99+ EINECS#: 212-889-4 Hazard Symbols: None listed Risk Phrases: None listed

Section 3 - Hazards Identification

EMERGENCY OVERVIEW Not available Potential Health Effects Eye: May cause eye irritation. Skin: May cause skin irritation. May be harmful if absorbed through the skin. Ingestion: May cause irritation of the digestive tract. May be harmful if swallowed. Inhalation: May cause respiratory tract irritation. May be harmful if inhaled. Chronic: No information found.

#### Section 4 - First Aid Measures

Eyes: Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation develops, get medical aid. Skin: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists. Ingestion: Do not induce vomiting. Get medical aid if irritation or symptoms occur. Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear. Notes to Physician:

### Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

### Section 6 - Accidental Release Measures

Store in a cool, dry place. Store in a tightly closed container.

# Section 8 - Exposure Controls, Personal Protection

ingestion and inhalation.

Storage:

Engineering Controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Exposure Limits CAS# 877-24-7: Personal Protective Equipment Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Skin: Wear appropriate protective gloves to prevent skin exposure. Clothing: Wear appropriate protective clothing to minimize contact with skin. Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

### Section 9 - Physical and Chemical Properties

Physical State:	Crystals
Color:	white
Odor:	odorless
pH:	3.8 - 4.0 (5% aq. sol.)
Vapor Pressure: Viscosity: Boiling Point: Freezing/Melting Point: Autoignition Temperature: Flash Point: Explosion Limits: Lower:Not Explosion Limits: Upper:Not	Not applicable. Not applicable. Not applicable. 295 - 300 deg C Not available. Not applicable. available
Decomposition Temperature:	Not available
Solubility in water:	80 g/L @ 20 <c< td=""></c<>
Specific Gravity/Density:	1.636
Molecular Formula:	C8H5KO4
Molecular Weight:	204.22

## Section 10 - Stability and Reactivity

```
Chemical Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

Incompatible materials, dust generation, excess heat.

Incompatibilities with Other Materials

Strong oxidizing agents, nitric acid.

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide, oxides of potassium, potassium fume.

Hazardous Polymerization

Will not occur.
```

# Section 11 - Toxicological Information

RTECS#:

LD50/LC50: RTECS: CAS# 877-24-7: Dermal, guinea pig: LD50 = >1 gm/kg; Oral, rat: LD50 = >3200 mg/kg;. Carcinogenicity: Potassium hydrogen phthalate -Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65. Other: The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information.

#### Section 12 - Ecological Information

Other: Do not empty into drains.

# Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

# Section 14 - Transport Information

IATA Shipping Name: Not regulated. Hazard Class: UN Number: Packing Group: IMO Shipping Name: Not regulated. Hazard Class: UN Number: Packing Group: RID/ADR Shipping Name: Not regulated. Hazard Class: UN Number: Packing Group:

### Section 15 - Regulatory Information

```
European/International Regulations
European Labeling in Accordance with EC Directives
Hazard Symbols:Not available
Risk Phrases:
Safety Phrases:
Safety Phrases:
CAS# 877-24-7: Not available
Canada
CAS# 877-24-7 is listed on Canada's DSL List
US Federal
TSCA
CAS# 877-24-7 is listed on the TSCA Inventory.
```

# Section 16 - Other Information

```
MSDS Creation Date:
12/12/1997
Revision #9 Date
2/15/2008
The information above is believed to be accurate and represents the
best information currently available to us. However, we make no
warranty of merchantibility or any other warranty, express or
implied, with respect to such information, and we assume no liability
resulting from its use. Users should make their own investigations to
determine the suitability of the information for their particular
purposes. In no event shall the company be liable for any claims,
losses, or damages of any third party or for lost profits or any
special, indirect, incidental, consequential, or exemplary damages
howsoever arising, even if the company has been advised of the
possibility of such damages.
  _____
          _____
```