# SAFETY DATA SHEET

Issuing Date 18-Sep-2013

Revision Date 18-Sep-2013

Revision Number 0

###IDENTIFICATION OF THE SUBSTANCE PREPARATION AND THE COMPANY UNDERTAKING

GHS product identifier

**Product Name** 

Surchior

Other means of identification

**UN-Number** 

UN1791

Synonyms

Liquid Chlorine Bleach, Liquid Bleach

Recommended use of the chemical and restrictions on use

Recommended Use

Swimming pool chlorination, microbiocide

Uses advised against

No information available

## Supplier's details

Supplier Address Surpass Chemical Co Inc 1254 Broadway Albany, NY 12204 518-434-8101

#### Emergency telephone number

Company Emergency Phone

Number

518-434-8101

**Emergency Telephone** 

Number

Chemtrec 1-800-424-9300

## 

#### Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 1 Subcategory 1B
Serious Eye Damage/Eye Irritation	Category 1

#### GHS Label elements, including precautionary statements

#### **Emergency Overview**

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



Appearance Greenish-yellow

Physical State Liquid.

Odor Chlorine

#### Precautionary Statements

#### Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- · Wear protective gloves/protective clothing/eye protection/face protection.

#### General Advice

• Immediately call a POISON CENTER or doctor/physician.

#### Eves

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- · Immediately call a POISON CENTER or doctor/physician.

#### Skir

- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse.

#### Inhalation

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

#### Ingestion

- IF SWALLOWED: Rinse mouth, DO NOT induce vomiting

#### Storage

· Store locked up.

#### Disposal

· Dispose of contents/container to an approved waste disposal plant.

#### Hazard Not Otherwise Classified (HNOC)

Not applicable

#### Other information

Very toxic to aquatic life with long lasting effects

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

#### **Synonyms**

Liquid Chlorine Bleach, Liquid Bleach

Chemical Name	CAS-No	Weight %	Trade secret
Sodium hypochlorite	7681-52-9	13.2-14.1	*
Sodium hydroxide	1310-73-2	0.2-0.6	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4 FIRST AID MEASURES TO A MAN AND A STATE OF THE AIR AND A STATE OF

Description of necessary first-aid measures

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact

Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. Immediate medical attention is required.

Inhalation

Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion

Drink plenty of water. Do NOT induce vomiting. Consult a physician if necessary

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

# WWW.63EIRE:FIGHTING!WEASURES!

Sultable Extinguishing Media

Cool containers with flooding quantities of water until well after fire is out.

Small Fires

CO 2, dry chemical, or water spray.

Large Fires

If water is necessary to fight fire, use in flooding quantities.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arleing from the Chemical

In case of fire, hazardous concentrations of chlorine may be formed.

**Explosion Data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None.

None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6 ACCIDENTAL RELEASE MEASURES NO STATE OF THE STATE OF TH

## Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

Environmental Precautions

**Environmental Precautions** 

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

#### Methods and materials for containment and cleaning up

Methods for Containment

Dike to contain spill. Suppress vapors with water spray.

Methods for Cleaning Up

Absorb spilled material with an absorbent material such as clay, sawdust, or sand. Pick up

and transfer to properly labeled containers.

#### 7. HANDLING AND ISTORAGE TO THE TOTAL PROPERTY OF THE PROPERTY

#### Precautions for safe handling

Handling

Handle in accordance with good Industrial hygiene and safety practice. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not take internally. Do not eat, drink or smoke when using this product, Wash thoroughly after handling.

## Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep at temperatures below 15-21°C / 60-70°F. Keep away from direct sunlight.

Incompatible Products

Iron. Copper. Acids. Ammonium compounds. Organic material. Oxidizing agents.

## 8 EXPOSURE CONTROLLS // RERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxlde	Celling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m³	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m³	Celling: 2 mg/m³

#### Appropriate engineering controls

**Engineering Measures** 

Showers

Eyewash stations Ventilation systems

## Individual protection measures, such as personal protective equipment

Eye/Face Protection

Chemical splash goggles.

Skin and Body Protection

Neoprene gloves.

Respiratory Protection

None required under normal usage. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

## 29 PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Odor Liquid Chlorine Appearance Odor Threshold

Greenish-yellow No information available

Property

Values 12 Remarks/ - Method
None known
None known
None known
None known
None known
None known

Melting Point/Range Bolling Point/Bolling Range Flash Point Evaporation rate

Flammability (solid, gas) Flammability Limits in Air No data available No data available No data available

No data available No data available

upper flammability limit No data available. No data available lower flammability limit No data available None known Vapor Pressure Vapor Density No data available None known No data available None known Relative Density 1.1980-1.2100 None known Specific Gravity Miscible with water None known Water Solubility No data available None known Solubility in other solvents Partition coefficient: n-octanol/waterNo data available None known None known No data available **Autoignition Temperature** None known No data available **Decomposition Temperature** No data available None known Viscosity

Flammable Properties

Not flammable

Explosive Properties Oxidizing Properties

No data available No data available

Other information

VOC Content (%)

No data available

## TIO STABILITY AND REACTIVITY

#### Reactivity

No data avallable.

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

Incompatible products, Keep away from direct sunlight. Excessive heat. Ultraviolet light.

#### incompatible materials

Iron. Copper. Acids. Ammonium compounds, Organic material. Oxidizing agents.

#### Hazardous decomposition products

Chlorine gas.

## THE TOXICOLOGICAL VINEOR MATION

#### Information on likely routes of exposure

**Product Information** 

Inhalation

May cause irritation of respiratory tract.

Eye Contact

Causes serious eye damage. Corrosive to the eyes and may cause severe damage

including blindness.

Skin Contact

Corrosive. Causes severe skin burns.

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

#### Delayed and Immediate effects and also chronic effects from short and long term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	. OSHA
Sodium hypochlorite		<b>Group</b> 3		

Reproductive Toxicity
STOT - single exposure

No information available. No information available.

STOT - single exposure
STOT - repeated exposure

No information available.

Aspiration Hazard No inf

No information available.

## Numerical measures of toxicity - Product

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document:

LD60 Oral.

3546 mg/kg; Acute toxicity estimate

## WAR THE TOTAL THE PROPERTY OF THE PROPERTY OF

#### Contovicity

Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium hypochlorite	EC50 24 h: = 0.095 mg/L	LC50 96 h; 0.03 - 0.19 mg/L		EC50 48 h: 0.033 - 0.044
7681-52-9	(Skeletonema costatum)	semi-static (Oncorhynchus		mg/L Statlc (Daphnia
	i	mykiss)		magna)
		LC50 96 h: 0.05 - 0.771		EC50 98 h: = 2.1 mg/L
1	ĺ	mg/L flow-through	İ	(Daphnia magna)
		(Oncorhynchus mykiss) LC50 96 h: 0.06 - 0.11 mg/L	<u> </u>	
		flow-through (Pimephales		·
		promelas)	*	
		LC50 96 h: 0.18 - 0.22 mg/L		
l ·		static (Oncorhynchus		
		mykiss)	·	
·		LC50 96 h: 0.28 - 1 mg/L		·
		flow-through (Lepomis		
		macrochirus) .	•	
		LC50 96 h: 0.4 - 0.8 mg/L		
		static (Lepomis macrochirus)		· .
·		LC50 96 h: 4.5 - 7.6 mg/L	•	-1
·		static (Pimephales		1
		promelas)		
Sodium hydroxide	•	LC50 96 h: = 45.4 mg/L		
1310-73-2		static (Oncorhynchus		1
		mykiss)		I

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

## Other Adverse Effects

No information available.

# 13 DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging

Do not re-use empty containers.

Chemical Name	California Hazardous Waste
Sodium hypochlorite	` Toxic Ignitable Reactive
Sodium hydroxide	Toxic Соповіче

# 

DOT

**UN-Number** 

UN1791

Proper shipping name

Hypochlorite solutions

Hazard Class

**Packing Group** 

111

Reportable Quantity (RQ)

Sodium hypochlorite: RQ kg= 321.99

Description

UN1791, Hypochlorite solutions, 8, III, RQ

Emergency Response Guide

Number

TDG

**Ü**N-Number

UN1791

Proper Shipping Name

Hypochlorite solution

Hazard Class

8

Packing Group

Description

UN1791, Hypochlorite solution, 8, III

**UN-Number** 

UN1791

**Proper-Shipping Name** 

Hypochlorite solution

Hazard Class

8

**Packing Group** 

111

Description

UN1791, Hypochlorite solution, 8, III

ICAO

UN-Number

UN1791

Proper shipping name

Hypochlorite solution

Hazard Class

8

**Packing Group** 

Description

UN1791, Hypochlorite solution, 8, III

IATA

UN-Number

UN1791

Proper Shipping Name

Hypochlorite solution

Hazard Class Packing Group 8

III

**ERG Code** 

ŖĻ,

Description

UN1791, Hypochlorite solution, 8, III

IMDG/IMO

UN-Number

UN1791

Proper Shipping Name

Hypochlorite solution

Hazard Class **Packing Group** 

8 Ш

EmS No.

F-A, S-B

Description

UN1791, Hypochlorite solution, 8, III

**UN-Number** 

UN1791

Proper Shipping Name Hypochlorite solution .

Hazard Class 8
Packing Group III
Classification Code C9

Description UN1791, Hypochlorite solution, 8, III

ADR

UN-Number UN1791

Proper Shipping Name Hypochlorite solution

Hazard Class 8
Packing Group III
Classification Code C9
Tunnel Restriction Code (E)

Description UN1791, Hypochlorite solution, 8, III, (E)

Hypochlorite solution

ADR/RID-Labels 8

Proper Shipping Name

Hazard Class 8
Packing Group III
Classification Code C9
Special Provisions 521

Description UN1791, Hypochlorite solution, 8, III

Complies

Complies

Limited Quantity 5

# International Inventories TSCA Complies DSL Complies EINECS Complies IECSC Complies KECL Complies Complies Complies Complies Complies Complies Complies

Legend

**PICCS** 

AICS

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hypochlorite	100 lb			X

Revision Date 18-Sep-2013

#### WPS-SUR-002 - Surchlor

			 	YOUR COMMISSION OF THE PARTY OF	
			l e	1	1
	Caratic and hereal gaze lates	1000 lb		I. Ă	ı
- 1	Sodjum hydroxide	עו טטעו		1'	ı.
			The state of the s	<u> </u>	:

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name		Extremely Hazardous Substances RQs	RQ
Sodium hypochlorite	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

#### U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Sodium hypochlorite	X	X	. X		
Sodium hydroxide	X	Х	Х		X

#### U.S. EPA Label Information

#### EPA Pesticide Registration Number Not applicable

		16XOJHERNINGORNI	ATTION ATTIONS	
NFPA	Health Hazard 3	Flammability 0	Instability 2	Physical and Chemical Hazards -
HMIS	Health Hazard 3	Flammability 0	Physical Hazard 2	Personal Protection X

Prepared By

Product Stewardship

23 British American Blvd. Latham, NY 12110

1-800-572-6501

Issuing Date Revision Date 18-Sep-2013 18-Sep-2013

Initial Release. **Revision Note** 

General Discialmer

The Information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The Information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet