

1. Product and Company Identification

Product Name

EASY-OFF® Fume Free Oven Cleaner - Aerosol

CAS#

Mixture

This MSDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure, in accordance with requirements of the U.S. Government's Occupational Safety and Health Administration (OSHA).

This MSDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with

the applicable government regulation.

Product Use

Oven cleaner

Distributed by

Reckitt Benckiser

Morris Corporate Center IV 399 Interpace Parkway

P.O. Box 225

Parsippany, NJ 07054-0225

In Case of Emergency: 1-800-338-6167 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

- Catorae Morally affect	100. 1
Health /	2
Flammability	1
Physical Hazard	0
Personal Protection	В



2. Hazards Identification

Emergency overview

CAUTION

EYE IRRITANT.

Contents under pressure. DO NOT get in eyes.

Wash hands after application and removal.

Do not puncture or incinerate container.

DO NOT expose to heat or store at temperatures above 120°F (49°C).

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

Eyes

Moderately irritating to the eyes.

Skin

None expected during normal conditions of use.

Inhalation

Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Ingestion

Health injuries are not known or expected under normal use.

Target organs

Eyes. Respiratory system. Skin. Gastrointestinal tract. Liver.

Chronic effects

The finished product is not expected to have chronic health effects.

Signs and symptoms

imitation

OSHA Regulatory Status

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Potential environmental effects

See section 12.

3. Composition / Information on Ingredients

CAS#	Percent
584-08-7	2.5 - 10
112-34-5	2.5 - 10
75-28-5	2.5 - 10
141-43-5	2.5 - 10
	584-08-7 112-34-5 75-28-5

4. First Aid Measures

First aid procedures

Eye contact

If in eyes, IMMEDIATELY rinse eyes with water, remove any contact lenses and continue rinsing eyes for at least 15 minutes. If irritation persists, get medical attention.

Skin contact

In case of skin contact, immediately flush exposed area with plenty of water for at least

15 minutes.

Remove any contaminated clothing and wash thoroughly with soap and water.

Get immediate medical attention if irritation persists.

Inhalation

Remove to fresh air.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit

www.inhalant.org.

If swallowed, DO NOT induce vomiting, call a Poison Control Center or physician

immediately. Rinse mouth out with water.

Treat patient symptomatically.

Notes to physician

Ingestion

General advice

Do not puncture or incinerate container. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s)

involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep away from sources of ignition. No smoking. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties

Aerosol flame extension less than 18 inches (45 cm).

NFPA AEROSOL LEVEL: Flammability Rating 1, per NFPA 30B

Extinguishing media

Suitable extinguishing media

Unsuitable extinguishing media

Treat for surrounding material.

Not available

Protection of firefighters

Specific hazards arising from

the chemical

Protective equipment for

firefighters

flame. Cool containers with flooding quantities of water until well after fire is out.

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Some metallic

Contents under pressure. Pressurized container may explode when exposed to heat or

oxides.

Explosion data

Sensitivity to mechanical impact Not available

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters. Advise authorities if product has penetrated drains, sewers or water pipes.

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements

or confined areas.

Page 2 of 8 Issue date 28-May-2013 #19736

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

7. Handling and Storage

Handling Ensure adequate ventilation.
Contents under pressure.

Do not puncture or incinerate container. Use according to package label instructions. Avoid contact with eyes. Do not breathe fumes.

Be sure to point arrow towards directions dot and away from face. Keep away from open flames, hot surfaces and sources of ignition.

Wash hands after handling and before eating.

Do not spray on pilot light, electrical connections, switch, heating elements, or

thermostats.

Do not spray onto aluminum or painted surfaces as damage to these surfaces may occur.

Do not use on microwave, convection or continuous-cleaning ovens.

Do not use on grill exterior, interior or components.

Storage Keep out of reach of children.

Do not store at temperatures above 49 °C (120.2°F). Avoid freezing to prevent bursting of the container.

Store away from direct sunlight and incompatible materials.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit www.inhalant.org.

8. Exposure Controls / Personal Protection

Exposure limits ingredient(s)	Exposure Limits
Potassium carbonate	ACGIH-TLV
	Not established
	OSHA-PEL
	Not established
Diethylene glycol monobutyl ether	ACGIH-TLV
	Not established
	OSHA-PEL
	Not established
Isobutane	ACGIH-TLV
	TWA: 1000 ppm
	OSHA-PEL
	Not established
Monoethanolamine	ACGIH-TLV
	TWA: 3 ppm
	STEL: 6 ppm
	OSHA-PEL
	TWA: 3 ppm

Engineering controls

Personal protective equipment

General ventilation normally adequate.

Consult the product label for special protection or precautions that have been identified for using this product under directed consumer use conditions. The following recommendations are given for workplace employees, emergency personnel and for other conditions and situations where there is a greater potential for large-scale or prolonged exposure.

Eye / face protection

Avoid contact with eyes. Tightly fitting safety goggles

No special requirements under normal use conditions. **Hand protection**

Protective gloves are recommended for prolonged or repeated exposure.

Skin and body protection

Follow label directions carefully.

Usual safety precautions while handling the product will provide adequate

protection against injury or irritation.

Respiratory protection Not normally required under normal use conditions.

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

General hygiene considerations

Avoid contact with skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety practice.

When using do not eat or drink.

Washing with soap and water after use is recommended as good hygienic practice to

prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Foamy spray **Appearance**

Light tan to White. Color

Form **Aerosol** Lemon Odor

Not available Odor threshold

Gas Physical state 12.5

Not available Freezing point Not applicable **Boiling point** Not available Pour point **Evaporation rate** Not available

> 199.94 °F (> 93.3 °C) (Concentrate) Flash point

Not available **Auto-ignition temperature** Not available Flammability limits in air, lower, %

by volume

Flammability limits in air, upper, %

by volume

Not determined Vapor pressure Vapor density Not determined

Specific gravity Octanol/water coefficient

Solubility (H2O) Viscosity

Ηq

0.994 - 1.07

Not available

Not available Complete Not available

10. Stability and Reactivity

Reacts vigorously with acids. Reactivity

Hazardous polymerization does not occur. Possibility of hazardous reactions

Stable under recommended storage conditions. Chemical stability

Do not spray on pilot light, electrical connections, switch, heating elements, or Conditions to avoid

thermostats.

Do not spray onto aluminum or painted surfaces as damage to these surfaces may occur.

Do not use on grill exterior, interior or components.

Temperatures above 50°C. Do not mix with other chemicals. Do not freeze.

Excessive heat and moisture.

Incompatible materials

May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Some metallic Hazardous decomposition products

oxides.

Page 4 of 8 Issue date 28-May-2013 #19736

11. Toxicological Information Component analysis - LC50 LC50 Ingredient(s) Potassium carbonate Not available Not available Diethylene glycol monobutyl ether Isobutane 658 mg/l/4h rat Monoethanolamine 1210 mg/m3 mouse Component analysis - Oral LD50 ingredient(s) LD50 Potassium carbonate 1870 mg/kg rat; 2570 mg/m3 mouse 2000 mg/kg guinea pig; 3384 mg/kg rat; 2200 mg/kg rabbit Diethylene glycol monobutyl ether Isobutane Not available Monoethanolamine 1720 mg/kg rat; 700 mg/kg mouse Effects of acute exposure Moderately irritating to the eyes. Eye

Skin

None expected during normal conditions of use.

Inhalation

Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Ingestion

Health injuries are not known or expected under normal use.

Sensitization

The finished product is not expected to have chronic health effects.

Chronic effects

The finished product is not expected to have chronic health effects.

Carcinogenicity Mutagenicity

The finished product is not expected to have chronic health effects. The finished product is not expected to have chronic health effects.

Reproductive effects

The finished product is not expected to have chronic health effects.

Teratogenicity

The finished product is not expected to have chronic health effects.

Name of Toxicologically Synergistic Not available

Products

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental
	concerns.

Ecotoxicity - Freshwater Algae - Acute Toxicity Data

Diethylene glycol monobutyl ether

112-34-5

Monnethanolamine

141-43-5

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

112-34-5

72 Hr EC50 Desmodesmus subspicatus: 15 mg/L

96 Hr EC50 Desmodesmus subspicatus: >100 mg/L

Diethylene alycol monobutyl ether Monoethanolamine

141-43-5

96 Hr LC50 Lepomis macrochirus: 1300 mg/L [static] 96 Hr LC50 Pimephales promelas: 227 mg/L [flow-through]; 96 Hr LC50 Brachydanio

rerio: 3684 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 300-1000 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 114-196 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss; >200 mg/L [flow-through]

Ecotoxicity - Water Flea - Acute Toxicity Data

Diethylene glycol monobutyl ether Monoethanolamine

141-43-5

112-34-5 24 Hr EC50 Daphnia magna: 2850 mg/L; 48 Hr EC50 Daphnia magna: >100 mg/L 48 Hr EC50 Daphnia magna: 65 mg/L

Persistence / degradability

Not available

Bioaccumulation / accumulation

Not available

Mobility in environmental media

Not available

Environmental effects

Not available

Aquatic toxicity

Not available

Partition coefficient

Not available

Chemical fate Information

Not available

28-May-2013 #19736 Page 5 of 8 Issue date

13. Disposal Considerations		
Disposal instructions	Dispose in accordance with all applicable regulations. Empty container can be disposed of as household trash or rinsed and recycled where appropriate.	
Waste from residues / unused products	Not available	
Contaminated packaging	Not available	

U.S. Department of Transportation (DOT)

UN 1950, Aerosols, flammable, Class 2.1, Limited Quantity

Transportation of Dangerous Goods (TDG - Canada)

UN 1950, Aerosols, flammable, Class 2.1, Limited Quantity

IMDG (Marine Transport)

UN 1950, Aerosols, flammable, Class 2.1, Limited Quantity

#19736 Page 6 of 8 Issue date 28-May-2013

15. Regulatory Information

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Product Registration: Product is compliant with CPSC regulatory guidelines; a specific

registration is not required for this product.

U.S. - CAA (Clean Air Act) - Accidental Release Prevention - Flammable Substances

Isobutane

75-28-5

10000 lb threshold quantity

U.S. - CAA (Clean Air Act) - HON Rule - SOCMI Chemicals

Diethylene glycol monobutyl ether

Group I

141-43-5

U.S. - CAA (Clean Air Act) - Reactivity Factors for VOCs in Aerosol Coatings

Diethylene glycol monobutyl ether

112-34-5

2.70 G Ozone/g VOC Reactivity Factor

Isobutane Monoethanolamine 75-28-5

1.35 G Ozone/g VOC Reactivity Factor

141-43-5

5.97 G Ozone/g VOC Reactivity Factor

U.S. - CAA (Clean Air Act) - SNAP Program Listing of Substitutes for ODSs

75-28-5

Acceptable substitute for: 6

U.S. - CAA (Clean Air Act) - Volatile Organic Compounds (VOCs) in SOCMI

Diethylene glycol monobutyl ether

112-34-5

Present

Monoethanolamine

141-43-5

Present (listed under Ethanolamines)

CERCLA (Superfund) reportable quantity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical No

Clean Water Act (CWA)

Not available

#19736 Page 7 of 8 28-May-2013

State regulations

This product is not subject to warning labeling under the California Proposition 65 regulation.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Monoethanolamine

141-43-5

Present

U.S. - Illinois - Toxic Air Contaminants

Monoethanolamine

141-43-5

Present

U.S. - Massachusetts - Right To Know List

Isobutane

75-28-5

Present

Monoethanolamine

141-43-5

Present

U.S. - Minnesota - Hazardous Substance List

Monoethanolamine U.S. - New Jersey - Right to Know Hazardous Substance List

141-43-5

Present

Isobutane

75-28-5

sn 1040

Monoethanolamine

141-43-5

sn 0835

U.S. - Pennsylvania - RTK (Right to Know) List

Isobutane Monoethanolamine

Monoethanolamine

75-28-5 141-43-5 Present Present

U.S. - Rhode Island - Hazardous Substance List

141-43-5

Toxic; Flammable

Inventory status

Country(s) or region

Inventory name

On Inventory (yes/no)*

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However. neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

EASY-OFF® Fume Free Oven Cleaner - Aerosol - 14.5/16 oz. - 363915v6.0

issue date

28-May-2013

Effective date

15-May-2013

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.