$O \cdot P \cdot I$

MATERIAL SAFETY DATA SHEET

Page 1 of 7 MSDS-085

MSDS Revision: 1.1 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision Date: 11/01/2006 1. PRODUCT IDENTIFICATION 1.1 Product Name: SWISS DEFENSE, DETERGENT DISINFECTANT 1.2 **AQUEOUS SOLUTION** 1.3 Synonyms: NA 1.4 Trade Names: SD197, SD198 1.5 Product Use: COSMETIC USE ONLY Manufacturer's Name: OPI PRODUCTS, INC. 1.7 Manufacturer's Address: 13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 1.9 Business Phone: +1 (818) 759-2400 / +1 (800) 341-9999 2. HAZARD IDENTIFICATION 2.1 Hazard Identification: NA 2.2 Routes of Entry: Inhalation: NO Absorption: YES Ingestion: YES 2.3 Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting, and/or diarrhea. SKIN & EYES: Mildly irritating to eyes. May be irritating to skin on sensitive individuals. INHALATION: Inhalation is very unlikely. 2.4 Symptoms of Overexposure: Symptoms of skin overexposure in some sensitive individuals may include redness, itching and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. Mild Irritation to eyes and skin near affected areas. Chronic Health Effects: None known. Target Organs: Eyes and skin. NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.

$O \cdot P \cdot I$

MATERIAL SAFETY DATA SHEET

Page 2 of 7

MSDS-085

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards				MSDS Revision: 1.1 MSDS Revision			evision D	ate: 11/01/2	006			
			3. COI	MPOSITIO	N & INGRI	DIEN	T INFOR	RMATIC	DN			
										TS IN AIR	(mg/m³)	
						ACGIH - ppm		OSHA - ppm		m	OTHER	
CHEMICAL NAME(S)			CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	PEL	STEL	IDLH	
DIETHYLENE GLYCOL MONOBUTYL ETHER			112-34-5	KJ9100000	203-961-6	≤ 10.0	NA	NA	(100)	NA	NA	
DIMETHYL BENZYL AMMONIUM CHLORIDE			683-01-5	NA	NA	≤ 1.0	NA	NA	NA	NA	NA	
	THYL ETHYL BENZ CONIUM CHLORII		68956-79-6	NA	NA	≤ 1.0	NA	NA	NA	NA	NA	
)THE	R COMPONENTS	PRESENT IN	LESS THAN 1%	CONCENTRA	ION	BAL		AINING C ANT ADDI			IOT CONTRIE	BUTE AI
4.1	### AIRST AID MEASURES First Ald: If ingested, do not induce vomiting. Drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed. EYES & SKIN: Splashes are not likely; however, if product gets into the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If irritation occurs, contact a physician. If irritation occurs when product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with warm water and soap. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, contact a physician immediately.											
4.0			ctim to fresh o	ilr at once.					X-1 X67	- VANDA - N	S V VIII V	_
4.2	Medical Condition None known.	s Aggravated b	y Exposure:					HEA	LTH			1
								FLA	MMAB	ILITY		0
								REA	CTIVIT	Y		0
								PRO	TECTIV	/E EQU	IPMENT	

 $0.P \cdot I$

Special Precautions:

MATERIAL SAFETY DATA SHEET

Page 3 of 7

MSDS-085

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 11/01/2006 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: Non-flammable. Autolgnition Temperature: NA 5.3 Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): Fire & Explosion Hazards: This product is not flammable. If involved in a fire, this product may decompose to produce carbon oxides and nitrogen oxides. 5.5 Extinguishing Methods: Water, CO₂, Halon, Dry Chemical Firefighting Procedures: This product is not flammable. If involved in a fire, emergency responders should wear eye protection and SCBAs and other protective equipment. If possible, prevent runoff water from entering storm drains, waterways or environmentally-sensitive areas. Wash contaminated clothing and equipment with warm water and soap, followed by rinse before returning to service. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hyalene Practices: Follow normal hygiene practices. Do not eat, drink or smoke while handling product. 7.2 Storage & Handling: Store containers In a cool, dry location, away from direct sunlight, other light sources, or sources of Intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). Inspect all incoming containers before storage to ensure containers are properly labeled and not damaged.

Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

 $0 \cdot P \cdot I$

MATERIAL SAFETY DATA SHEET

Page 4 of 7

MSDS-085

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 11/01/2006 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Controls: When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station or washbasin is available in case of exposure to eyes. 8.2 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized in U.S. Federal OSHA's 29 CFR 1910.134, applicable U.S. State regulations, or the appropriate standards of Canada, its Provinces, E.C. member States, or Australia. Use supplied air respiration protection it oxygen levels are below 19.5% or are unknown. Eye Protection: 8.3 Avoid eye contact. None required under normal conditions of use. However, may cause irritation in some sensitive individuals. When handling large quantitles (e.g., ≥ 1 gallon), safety glasses with side shields should be used. 8.4 None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves. 8.5 No apron required when handling small quantities. When handling large quantities (e.g., \geq 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Density: NE Boiling Point: NE 9.3 Melting Point: NE 9.4 Evaporation Rate: NE 9.5 Vapor Pressure: NE 9.6 Molecular Weight: NE 9.7 Appearance & Color: Clear to Slightly Yellow Liquid 9.8 Odor Threshold: 9.9 Solubility: Soluble in water 9.10 На NA 9.11 Viscosity: Low viscosity 9.12 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stable under ambient conditions when stored properly (see Section 7, Storage and Handling). 10.2 Hazardous Decomposition Products: 10.3 Hazardous Polymerization: Will not occur. Conditions to Avoid: Exposure to or contact with extreme temperatures, strong light sources or incompatible materials. 10.5 Incompatible Substances: This product is incompatible with strong oxidizers (e.g., peroxide compounds), bases (e.g., potassium hydroxide), strong acids (e.g., nitric acid), cationic materials, heavy metal salts, and water reactive materials.

 $0 \cdot P \cdot I$

MATERIAL SAFETY DATA SHEET

Page 5 of 7 MSDS-085

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision Date: 11/01/2006 MSDS Revision: 1.1 11. TOXICOLOGICAL INFORMATION 11.1 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document. 11.2 See Section 2.5 Chronic Toxicity: 11.3 See Section 2.6 11.4 Suspected Carcinogen: 11.5 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. 11.6 Can Irritate skin and eyes in some sensitive individuals. 11.7 Blological Exposure Indices: NE 11.8 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds. 12.2 Effects on Plants & Animals There is no specific data available for this product. 12.3 Effects on Aquatic Life: There is no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose in accordance with Federal, state and local regulations. Special Considerations: NA 14. TRANSPORTATION INFORMATION The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadlan GND): **NOT REGULATED** 14.5 ADR/RID (EU): NOT REGULATED 14.6 MEXICO (SCT): **NOT REGULATED**

 $O \cdot P \cdot I$

MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS-085

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1 MSDS Revision Date: 11/01/2006 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: 15.2 SARA Threshold Planning Quantity: NA 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA inventory. 15.4 CERCLA Reportable Quantity (RQ): NA 15.5 Other Federal Regulrements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 None of the ingredients in this mixture are found on any of the state criteria lists. 15.8 67/548/EEC (European Union) Regulrements: The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC. 16. OTHER INFORMATION 16.1 Use only as directed. Avoid eye contact. If contact occurs, flush eye thoroughly with running water for 15 minutes. Seek medical attention. If redness or other signs of adverse reaction occur, discontinue use immediately. If irritation persists, seek medical attention. KEEP OUT OF REACH OF CHILDREN. 16.2 Terms & Definitions: See last page of this MSDS. 16.3 Disclalmer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/ 16.5 Prepared by: ShipMate, Inc. 18436 Hawthorne Boulevard, Suite 201 Torrance, CA 90504 +1 (310) 360-3700 phone +1 (310) 360-5700 fax Training & Consulting http://www.shipmate.com/

MATERIAL SAFETY DATA SHEET

Page 7 of 7

MSDS-085

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.1

MSDS Revision Date: 11/01/2006

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Numb

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists				
TLV Threshold Limit Value					
OSHA U.S. Occupational Safety and Health Administrat					
PEL	Permissible Exposure Limit				
IDLH	Immediately Dangerous to Life and Health				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person
	whose heart has stopped receives manual chest
	whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide
	oxygen to the body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	2 Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:







Vapor Respirator









Face Shield &



Gloves

Dust & Vapor Respirator

Airline Hood/Mask or SCBA

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

Respirator

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autolgnition	Minimum temperature required to initiate combustion		
Temperature	in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by		
	volume, that will explode or ignite in the presence of		
	an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of		
	by volume, that will explode or ignite in the presence of		
	an ignition source		

HAZARD RATINGS:

Minimal Hazard			
Slight Hazard			
Moderate Hazard			
Severe Hazard			
Extreme Hazard			
Acidic			
Alkaline			
Corrosive			
Use No Water			
Oxidizer			



TOXICOLOGICAL INFORMATION:

LD₅o	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s		
LC _{\$0}	Lethal concentration (gases) which kills 50% of the exposed animal		
ppm	Concentration expressed in parts of material per million parts		
TD _{lo}	Lowest dose to cause a symptom		
TCLo	Lowest concentration to cause a symptom		
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or		
TC, TCo, LCio, & LCo	toxic effects		
IARC	International Agency for Research on Cancer		
NTP	National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TLm	Median threshold limit		
log Kow or log Koc	Coefficient of Oil/Water Distribution		

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC Transport Canada					
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU European Union (European Union Directive 67/548/EEC					

EC INFORMATION:

7 %		N. S.	1/2	<i>(</i>)			
С	Е	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxldizing	Toxic	Irritant	Harmful