I. <u>PRODUCT IDENTIFICATION</u>

PRODUCT NAME: JUST-FOR-COPPER (Cold Bonding For Rigid Copper Pipes) Revised: 8 March 2004 PRODUCT TYPE: (Esther Methacrylate) FORMULA No. : Does not apply

COMPANY IDENTIFICATION AND TELEPHONE NUMBER.Jackson Industries, Inc., 400 Lake Ridge Drive, Russellville, AR 72802Phone Toll Free: 888-704-0015or 470-967-5746E-mail : info@justforcopper.comWeb: www.justforcopper.com

II. <u>COMPOSITION</u>

Ingredients	CAS No.
Dimethacrylate	25852-47-5
Bisphenol A fumarate resin	39382-25-7
CUSMENE HYDROPEROXIDE*	80-15-9
SACCHARIN*	81-07-2
N, N-Dialkyltoluidines	613-48-9
ACRYLIC ACID	79-10-7

III. <u>CHEMICAL AND PHYSICAL PROPERTIES</u>

Vapor Pressure:	Less than 5mm at 80°F
Vapor Density:	Not available
Solubility in water:	Slight
Specific Gravity:	1.10 at 80° F
Boiling Point:	More than 300° F
Volatile Organic Compound	
(EPA Method 24)	10.0%
Evaporation Rate	
(Ether = 1)	Not available
ph:.	Does not apply
Appearance:	Amber Liquid
Odor:	Mild

IV. SPILL OR LEAK AND DISPOSAL PROCEDURES

Steps to be taken in case	
Of spill or leak:	Soak up with an inert absorbent. Store in partly
-	Filled, closed container until disposal.
Recommended methods	
Of disposal:	Incinerate following EPA and local regulations.

V. STORAGE AND HANDLING PROCEDURES

Storage:	Store below 80 ° F to achieve maximum shelf life.
Handling:	Avoid . Keep away from eyes. Some skin is sensitive
	to prolonged contact.
	Non-flammable and will not support combustion.

VI. <u>REACTIVITY DATA</u>

Stability:	Stable
Hazardous Polymerization:	Will Not Occur
Hazardous Decomposition	
Products (non-thermal):None	
Incompatability:	None

VII. <u>PERSONAL PROTECTION</u>

Eyes:	Safety glasses or goggles.
Skin:	For super sensitive skin, use rubber or plastic gloves.
Ventilation:	Does not apply.

VIII. EMERGENCY TREATMENT PROCEDURES

Ingestion:	Is not harmful if ingested. Do not induce vomiting and contact doctor.
Inhalation:	Does not apply
Skin Contact:	Wash with soap and water
Eye Contact:	Flush at least 15 minutes with water. If irritation persists, obtain medical
-	attention.

IX. <u>HEALTH HAZARD DATA</u>

Toxicity:	Eye irritant.
	Estimated oral LD50 more than 5000mg/kg.
	Estimated dermal LD50 more than 2000mg/kg.
Primary Routes of Entry:	None known
Signs ad Symptoms of Esposure:	May cause dermatitis on prolonged contact in individuals with super sensitive skin.