

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

1. Identification of the Substance / Preparation and of the Company / Undertaking

Product identifier	
Product Name	Windex Deicer -35 degree Windshield Washer Fluid
Stock Numbers	123225 / 123235 / 123237
<u>Other means of identification</u> Synonyms Recommended use of the chemica	None
Recommended Use	Windshield Deicer - NonAerosol
Uses advised against	No information available
Details of the supplier of the safety	data sheet
Supplier Name Supplier Address	South/Win, Ltd 112 Maxfield Rd. Greensboro, NC 27405 US
Supplier Phone Number	Phone: (800) 648-4393 Fax: (336) 398-5680
Emergency Telephone Number	CHEMTREC: (800) 424-9300

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 3

 \mathbf{f}





Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

<u>Unknown Toxicity</u> 0.00406% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Harmful to aquatic life with long lasting effects PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. Composition / Information on Ingredients

Γ	Chemical Name	CAS No	Weight-%	Trade Secret
	Methyl alcohol	67-56-1	15 - 40	*
	Ethylene glycol	107-21-1	1-5	*
	Ammonium hydroxide	1336-21-6	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. First Aid Measures



General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical

Page **3** of **17**



Issuing Date: 1-Jun-2008	Revision Date: 20-July-2016	SDS Number: 9157
	attention is required.	
Eye Contact	Rinse immediately with plenty of water, a least 15 minutes. Keep eye wide open w affected area. Seek immediate medical a contact lenses, if present and easy to do	hile rinsing. Do not rub ttention/advice. Remove
Skin Contact	Immediate medical attention is required. soap and plenty of water while removing and shoes.	
Inhalation	Remove to fresh air. If not breathing, give direct contat with skin Use barrier to give resuscitation If breathing is difficult, (train oxygen.	e mouth-to-mouth
Ingestion	Do NOT induce vomiting. Rinse mouth in of water. Never give anything by mouth to Call a physician or poison control center	o an unconscious person.
Self-protection of the first aider	Ensure that medical personnel are aware take precautions to protect themselves a contamination. Avoid direct contact with mouth-to-mouth resuscitation.	nd prevent spread of
Most important symptoms and ef	fects, both acute and delayed	
Most Important Symptoms and Effects	Coughing and/ or wheezing. Difficulty in I	preathing.
Indication of any immediate medi	ical attention and special treatment neede	<u>ed</u>
Notes to Physician	Treat symptomatically.	
	5. Fire-fighting Measures	
<u>Suitable Extinguishing Media</u> Dry chemical, Carbon dioxide (CO2), water spray. Alcohol resistant foam.	
Unsuitable extinguishing media CAUTION: All these products have	a very low flash point. Use of water spray wh	nen fighting fire may be inefficient.
	Page 4 of 17	



Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

Specific Hazards Arising from the Chemical

Vapors can form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.

Uniform Fire Code	Toxic: Liquid
	Flammable Liquid: I-C

Hazardous Combustion Products Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

No.

Yes.

Personal Precautions	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Full encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Stop leak if you can do it without risk.
Other Information Environmental Precautions	Water spray may reduce vapor; but may not prevent ignition in closed spaces.
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas.
Methods and material for containment	
Methods for Containment	A vapor suppressing foam may be used to reduce vapors. Absorb with earth, sand or other non-combustible and transfer to containers for later disposal.
	Page 5 of 17





Chemical Name		ACGIH TLV OSHA PEL	
			NIOSH IDLH
Methyl alcohol	STEL = 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³
	6	(vacated) TWA: 260 mg/m ³	STEL: 325 mg/m ³
		(vacated) STEL: 250 ppm	STEL: 250 ppm
		(vacated) STEL: 325 mg/m ³	
		(vacated) S*	
Ethylene glycol 107-21-1	Ceiling: 100 mg/m ³ aerosol	(vacated) Ceiling: 50 ppm	
,	only	(vacated) Ceiling: 125 mg/m ³	
	e of Governmental Industrial Hygien	iists - Threshold Limit Value OSHA PE	L: Occupational Safety and
Health Administration - Permissibl Other Exposure Guidelines		ked by the Court of Appeals decis	
	965 F.2d 962 (11th parameters	n Cir., 1992) See section 15 for nat	ional exposure control
Appropriate engineering cor	<u>itrols</u>		
Engineering Measures	Showers		
	Eyewash stations Ventilation systems	S	
Individual protection measu	res, such as personal protecti	ve equipment	
Eye/Face Protection	None required for on safety goggles.	consumer use. If splashes are likel	y to occur. Tight sealing
	salety goggles.		
Skin and Body Protection		consumer use. Repeated or prolon ind protective clothing. Anti-static	
Respiratory Protection		oment is needed under normal use d or irritation is experienced, ventil	
Hygiene Measures	eat, drink or smoke immediately after h wash before reuse the workplace. Avo and eye/face prote	nce with good industrial hygiene ar e when using this product. Wash ha nandling the product. Take off conta . Contaminated work clothing shou oid contact with skin, eyes or clothi ction. Regular cleaning of equipme Do not breathe vapor or mist.	ands before breaks and aminated clothing and Ild not be allowed out of ng. Wear suitable glove:

Page **7** of **17**

}



Mild Ammonia

No information available

Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

Physical and Chemical Properties

Physical State Appearance Color

Property pH Melting / freezing point Boiling point / boiling range Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density Specific Gravity Water Solubility Solubility in other solvents

Partition coefficient: n-octanol/water Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing Properties

Other Information

Softening Point VOC Content (%) Particle Size Particle Size Distribution Values 9.8 No data available 78 °C / 172 °F 29 °C / 84 °F No data available No data available

No information available

Liquid

Purple

No data available Miscible in water No data available

No data available No data available No data available No data available No data available No data available No data available

No data available No data available No data available Odor Threshold No informa Remarks Method

Odor

None known None known None known None known None known

None known None known None known None known None known

None known None known None known None known

10. Stability and Reactivity

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

None under normal processing

Hazardous Polymerization

Page **8** of **17**



Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

Hazardous polymerization does not occur.

<u>Conditions to avoid</u> Excessive heat. Heat, flames and sparks.

Incompatible materials None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. Toxicological Information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Toxic by inhalation. (based on components).
Eye Contact	Specific test data for the substance or mixture is not available.
Skin Contact	Specific test data for the substance or mixture is not available. Toxic in contact with skin. May be absorbed through the skin in harmful amounts. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. May be harmful if swallowed. (based on components).

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl alcohol 67-56-1	= 5628 mg/kg (Rat)	-	= 83.2 mg/L (Rat)4 h
Ethylene glycol 107-21-1	= 4000 mg/kg (Rat)		
Ammonium hydroxide 1336-21-6	= 350 mg/kg (Rat)		

F



Issuing Date: 1-Jun-2008	Revision Date: 20-July-2016	SDS Number: 9157			
Information on toxicological effe	ect:				
Symptoms Coughi	ng and/ or wheezing. Difficulty in breathing.				
Delayed and immediate effects as well as chronic effects from short and long-term exposure					
Sensitization	No information available.				
Mutagenic Effects	No information available.				
Carcinogenicity	Contains no ingredient listed as a carcinogen.				
Reproductive Toxicity	No information available.				
STOT - single exposure	Based on classification criteria from the 2012 (Standard (29 CFR 1910.1200), this product ha systemic target organ toxicity from acute expo- mixture, the classification is not based on toxic based solely on toxicology studies for ingredie Detailed substance and/or ingredient informati of this SDS. Target organs effects listed in this overexposure to this product. Causes damage damage to organs in contact with skin.	as been determined to cause sure. (STOT SE). If this product is a cology studies for this product, but is nts found within this product. on may be provided in other sections a document may result from a single			
STOT - repeated exposure	Causes damage to organs through prolonged classification criteria from the 2012 OSHA Haz CFR 1910.1200), this product has been deterr organ toxicity from chronic or repeated exposu	ard Communication Standard (29 nined to cause systemic target			
Chronic Toxicity	No known effect based on information supplied acute exposure may cause permanent damag chronic conditions. Avoid repeated exposure. chronic effects.	e to target organs and/or may cause			
Target Organ Effects	Respiratory system. Systemic Toxicity. Centra Gastrointestinal tract (GI). Skin.	l Nervous System (CNS). Eyes.			
Aspiration Hazard	No information available.				
Numerical measures of toxicity Pro	duct Information				
The following values are calculated	based on chapter 3.1 of the GHS document.				
ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapor)	292.00 mg/kg 891.00 mg/kg (ATE) 1.49 mg/l 9.00 ATEmix				
	Page 10 of 17				



Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

12. Ecological Information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Methyl alcohol 67-56-1		96h LC50: = 28200 mg/L (Pimephales promelas) 96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 19500 - 20700 mg/L (Oncorhynchus mykiss) 96h LC50: 18 - 20 mL/L (Oncorhynchus mykiss) 96h LC50: 13500 - 17600 mg/L (Lepomis macrochirus)	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	
Ethylene glycol 107-21-1	96h EC50: 6500 - 13000 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 41000 mg/L (Oncorhynchus mykiss) 96h LC50: 14 - 18 mL/L (Oncorhynchus mykiss) 96h LC50: = 40761 mg/L (Oncorhynchus mykiss) 96h LC50: = 27540 mg/L (Lepomis macrochirus) 96h LC50: = 16000 mg/L (Poecilia reticulata) 96h LC50: 40000 - 60000 mg/L	EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620./L 30 min	48h EC50: = 46300 mg/L
Ammonium hydroxide 1336-21-6		96h LC50: = 8.2 mg/L (Pimephales promelas)		48h EC50: = 0.66 mg/L

Persistence and Degradability

No information available.

}



Bioaccumulation					
	Chemical N				Log Pow
	Methyl alc 67-56-				-0.77
Eth	ylene glycol	107-21-1			-1.93
Other adverse effects No information available.					
		13. Dis	posal Consider	ations	
Waste treatment metho	<u>ds</u>				
Disposal methods	Tł re	nis material gulations (4	, as supplied, is a ha 40 CFR 261).	azardous waste accordi	ng to federal
Contaminated Packagin	g Di	spose of co	ontents/containers ir	accordance with local	regulations.
US EPA Waste Number	D	001			
Chemical Name	RCRA		Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl alcohol 67-56-1		Included	l in waste stream: F039		U154
California Hazardous W Codes This product contains one			at are listed with the	State of California as a	a hazardous waste.
Chemica Mothyl a			Ca	lifornia Hazardous Wa	aste
Methyl a 67-5	6-1			Toxic Ignitable	
Ammonium ł 1336-2				Toxic Corrosive	
		14. Ti	ransport Inform	ation	



Issuing Date: 1-Jun-2008	Revision Date: 20-July-2016	SDS Number: 9157
<u>DOT</u> Proper Shipping Name Hazard Class Description Emergency Response Guide Number	CONSUMER COMMODITY 3 CONSUMER COMMODITY, ORM-D 131	
TDG UN-No. Proper Shipping Name Hazard Class Subsidiary class Packing Group Description	UN1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. 3 6.1 III UN1986, ALCOHOLS, FLAMMABLE, TOXIC AMMONIUM HYDROXIDE), 3(6.1), III	C, N.O.S.(METHYL ALCOHOL,
MEX_ UN-No. Proper Shipping Name Hazard Class Subsidiary class Packing Group Description	UN1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. 3 6.1 III UN1986 ALCOHOLS, FLAMMABLE, TOXIC ALCOHOL, AMMONIUM HYDROXIDE), 3(6	
ICAO UN-No. Proper Shipping Name Hazard Class Subsidiary class Packing Group Description	UN1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. 3 6.1 III UN1986, ALCOHOLS, FLAMMABLE, TOXIC ALCOHOL, AMMONIUM HYDROXIDE), 3(6	
IATA UN-No. Proper Shipping Name Hazard Class Subsidiary class Packing Group Description	UN1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. 3 6.1 III UN1986, ALCOHOLS, FLAMMABLE, TOXIC ALCOHOL), 3 (6.1), III	C, N.O.S. (METHYL
IMDG/IMO UN-No. Proper Shipping Name Hazard Class Subsidiary class Packing Group EmS-No. Description	UN1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S 3 6.1 III F-E, S-D UN1986, ALCOHOLS, FLAMMABLE, TOXIC ALCOHOL), 3 (6.1), III, FP 29C	
	Page 13 of 17	



Issuing Date: 1-Jun-2008	Revision Date: 20-July-2016	SDS Number: 9157
<u>RID</u> UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description ADR/RID-Labels	UN1986 ALCOHOLS FLAMMABLE, TOXIC, , N.O.S. 3 III FT1 UN1986 ALCOHOLS, FLAMMABLE, TOXIC, M ALCOHOL, AMMONIUM HYDROXIDE), 3(6.1 6.1	
ADR UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description ADR/RID-Labels	UN1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. 3 III FT1 UN1986 ALCOHOLS, FLAMMABLE, TOXIC, ALCOHOL, AMMONIUM HYDROXIDE), 3(6 6.1	•
ADN UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Special Provisions Description Hazard Labels Limited Quantity Ventilation	UN1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. 3 III FT1 274, 802 UN1986 ALCOHOLS, FLAMMABLE, TOXIC, ALCOHOL, AMMONIUM HYDROXIDE), 3(6 3 + 6.1 5 L VE01, VE02	-
	15. Regulatory Information	
International Inventories TSCA DSL	Complies All components are listed either on the DSL or	NDSL.
	bstances Control Act Section 8(b) Inventory bstances List/Non-Domestic Substances List	
-	Page 14 of 17	



Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Methyl alcohol - 67-56-1	67-56-1	15 - 40	1.0
Ethylene glycol - 107-21-1	107-21-1	1 - 5	1.0
Ammonium hydroxide - 1336-21-6	1336-21-6	0.1 - 1	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable	CWA - Toxic	CWA - Priority	CWA - Hazardous
	Quantities	Pollutants	Pollutants	Substances
Ammonium hydroxide 1336-21-6	1000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Methyl alcohol 67-56-1	5000 lb		RQ= 2270 kg final RQ RQ= 5000 lb final RQ
Ethylene glycol 107-21-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Ammonium hydroxide 1336-21-6	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ



Issuing Date: 1-Jun-2008

Revision Date: 20-July-2016

SDS Number: 9157

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California
C.I. Food red 15 - 81-88-9	Carcinogen
Methanol 67-56-1	Developmental
Ammonium Hvdroxide 1336-21-6	Developmental

US State Right-to-know Regulations

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
Methyl alcohol 67-56-1	X	X	Х	Х	Х
Ethylene glycol 107-21-1	X	X	Х	Х	Х
Ammonium hydroxide 1336-21-6	X	X	Х	Х	

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Methyl alcohol		Mexico: TWA= 200
67-56-1 (15 - 40)		ppm Mexico: TWA=
		260 mg/m ³ Mexico:
		STEL= 250 ppm
		Mexico: STEL= 310
Ethylene glycol		Mexico: Ceiling 100
107-21-1(1-5)		mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class B2 - Flammable liquid



ŀ

SOUT	HWIN, LTD.

	Issuing Date: 1-Jun-2008		Revision Date: 20-July-2016		16 SDS Number: 9157	
-(16. Other Information					
	NFPA HMIS	Health Hazards 3 Health Hazards 3 *	Flammability 3 Flammability 3	Instability 0 Physical Hazard 0	Physical and Chemical Personal Protection X	
	Chronic Hazard Star Legend * - Chronic Health Hazard					

Prepared By: Randy Boitz

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet