SAFETY DATA SHEET

SDS 0011

```
______
        Section 1 -- PRODUCT AND COMPANY IDENTIFICATION
______
                                                HMIS CODES
PRODUCT NAME
                                              Health
  RectorSeal No. 5
                                              Flammability
                                              Reactivity
PRODUCT CODES
  25112, 25191, 25271, 25300, 25431, 25551, 25552, 25631, 25633, 25780,
  25790, 25793
CHEMICAL FAMILY
  Organic
USE
  Pipe Thread Sealant
                                    EMERGENCY TELEPHONE NO.
MANUFACTURER'S NAME
  The RectorSeal Corporation
                                     Chemtrec 24 Hours
                                     (800)424-9300 USA
  2601 Spenwick Drive
  Houston, Texas 77055 USA
                                     (703)527-3887 International
                                     TECHNICAL SERVICE TELEPHONE NO.
DATE OF VALIDATION
                                      (800)231-3345 or (713)263-8001
  January 23, 2015
DATE OF PREPARATION
  January 9, 2013
______
        Section 2 -- HAZARDS IDENTIFICATION
______
EMERGENCY OVERVIEW
OSHA Hazards
Combustable
TARGET ORGANS
Not Classified
GHS CLASSIFICATION
PHYSICAL HAZARDS
Combustable liquid (Category 4)
HEALTH HAZARDS
Acute Toxicity:
Oral: Not Classified
Dermal: Not Classified
Inhalation: Not Classified
Skin Corrosion/Irritation: Not Classified
Serious Eye Damage/Eye Irritation: Not Classified
Skin Sensitization: Not Classified
Respiratory Sensitization: Not Classified
Germ Cell Mutagenicity: Not Classified
Carcinogenicity: See Section 11
Reproductive Toxicology: Not Classified
Target Organ Systemic Toxicity - Single Exposure: Not Classified
Target Organ Systemic Toxicity - Repeated Exposure: Not Classified
Aspiration Toxicity: Not Classified
______
GHS Label elements, including precautionary statements
Pictogram: Harmful / Irritant
Signal Word: Warning
Hazard Statements
H303 - May be harmful if swallowed.
H313 - May be harmful in contact with skin.
H335 + H336 - May cause respiratory irritation, and drowsiness or dizziness.
Precautionary Statements
P102 - Keep out of reach of children.
```

1 of 5

```
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P240 - Ground/Bond container and receiving equipment
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P262 - Do not get in eyes, on skin, or on clothing.
P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P362 - Take off contaminated clothing and wash before reuse.
EUH066 - Repeated exposure may cause skin dryness or cracking
Precautionary Statements - EU No. 1272/2008
______
SUMMARY OF ACUTE HAZARDS
  Irritation to eyes, nose and throat; drowsiness, narcosis, tremors and
  other CNS effects at high concentration.
ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS
INHALATION
  Nasal and respiratory irritation, dizziness, narcosis, headache, nausea,
CNS depression and unconsciousness.
  Watering, blurred vision, inflammation and irritation which can result in
corneal injury.
SKIN CONTACT
  Irritation, dermatitis.
INGESTION
  Nausea, vomiting; CNS depression; irritation of gastrointestinal tract,
liver and peritoneal wall; lung congestion.
SUMMARY OF CHRONIC HAZARDS
  Skin irritation and dermatitis. Possible liver and kidney damage.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE
 Individuals with pre-existing or chronic diseases of the eyes, skin,
respiratory system, cardiovascular system, gastrointestinal system, liver or
kidneys may have increased susceptibility to excessive exposures.
______
         Section 3 -- COMPOSITION/INFORMATION ON INGREDIENTS
______
INGREDIENT: Diacetone Alcohol
PERCENTAGE BY WEIGHT: 20-30
CAS NUMBER: 123-42-2
EC# : 204-626-7
______
         Section 4 -- FIRST AID MEASURES
  If INHALED:
                If overcome by exposure, remove victim to fresh air
                immediately. Give oxygen or artificial respiration as
                needed. Obtain emergency medical attention. Prompt action
                is essential.
                Wash with soap and water. If irritation occurs, seek
  If on SKIN:
               medical attention.
  If in EYES:
               Flush eyes with large amounts of water for 15 minutes.
               Get medical attention.
  If SWALLOWED: If swallowed, call a physician immediately. Only induce
                vomiting at the instruction of a physician. Never give
                anything by mouth to an unconscious person.
______
        Section 5 -- FIRE FIGHTING MEASURES
EXTINGUSING MEDIA
  Foam, dry chemical, carbon dioxide or water fog.
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus
  (SCBA) and other protective clothing. Hazardous decomposition products
```

2 of 5

```
possible (see Section 10).
UNUSUAL FIRE AND EXPLOSION HAZARDS: Combustible - moderate flash point.
  Vapors heavier than air and may travel along the ground or to low spots
  at considerable distances to a source of ignition resulting in potential
  flashback. Burning liquid may float on water. Heat may build up
  pressure and rupture containers.
______
        Section 6 -- ACCIDENTAL RELEASE MEASURES
______
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all
  sources of ignition. Use absorbent materials to prevent footing hazard
  and to contain. Ventilate area with natural or explosion-proof, forced
  air ventilation. Avoid flushing into sewers, drains, waterways, and soil.
  Wear protective clothing and respiratory protection during cleanup.
______
       Section 7 -- HANDLING AND STORAGE
______
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep container closed and
  upright when not in use. Do not store near heat, sparks, or open flames.
OTHER PRECAUTIONS: Avoid prolonged or repeated contact with skin or
  clothing. Empty containers may contain residues; treat as if full and
  observe all products precautions. Do not reuse empty containers.
  KEEP OUT OF REACH OF CHILDREN.
______
        Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION
 ______
INGREDIENT
               UNITS
Diacetone Alcohol
   ACGIH TLV 50 ppm
   OSHA PEL 50 ppm
RESPIRATORY PROTECTION (SPECIFY TYPE): In confined poorly ventilated areas,
  use NIOSH/MSHA approved air purifying or supplied air purifying or
  supplied air respirators.
VENTILATION - LOCAL EXHAUST: Acceptable
SPECIAL: Explosion-proof equipment.
MECHANICAL (GENERAL): Preferable
OTHER: N/A
PROTECTIVE GLOVES: Wear rubber gloves.
EYE PROTECTION: Chemical splash goggles (ANSI Z-87.1 or equivalent)
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended.
WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed
  areas thoroughly before eating, drinking, smoking, or leaving work area.
  Launder contaminated clothing before reuse.
______
       Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES
______
                              322 F (161 C) @ 760mm Hg
BOILING POINT:
SPECIFIC GRAVITY (H20 = 1):
                              1.38
VAPOR PRESSURE (mm Hg):
                              0.3 @ 68 F (20 C)
MELTING POINT:
                              N/A
VAPOR DENSITY (AIR = 1):
EVAPORATION RATE (ETHYL ACETATE = 1): 0.14
APPEARANCE/ODOR:
                              Yellow Paste/Mild Odor
SOLUBILITY IN WATER:
VOLATILE ORGANIC COMPOUNDS(VOC)Content
(Theoretical Percentage By Weight):
                              23% or (317 g/L)
Flash POINT
                              150 F (65 C) SETA CC
LOWER EXPLOSION LIMIT
                              N/D
UPPER EXPLOSION LIMIT
                              N/D
______
        Section 10 -- STABILITY AND REACTIVITY
```

```
______
STABILITY: Stable
CONDITIONS TO AVOID: Heat, sparks, open flames, and strong oxidizing.
  Temperatures above 500 F (260 C).
INCOMPATIBILITY (MATERIALS TO AVOID): Gaseous oxygen, strong oxidizing
  materials, molten alkali metals.
HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2 and fragmented hydrocarbons.
HAZARDOUS POLYMERIZATION: Will not occur.
______
      Section 11 -- TOXICOLOGY INFORMATION
______
CHRONIC HEALTH HAZARDS
 No ingredients in this product is an IARC, NTP or OSHA Lister carcinogen.
TOXICOLOGY DATA
Ingredient Name
______
 Diacetone Alcohol
                      LD50:4000 mg/kg
           Inhalation-Human TCLo: 100 ppm
______
      Section 12 -- Ecological Information
______
ECOLOGICAL DATA
Ingredient Name
______
 Diacetone Alcohol
           Food Chain Concentration Potential
                                   N/A
           WATERFOWL TOXICITY
                                    N/A
                                    N/A
           AQUATIC TOXICITY
______
      Section 13 -- DISPOSAL CONSIDERATIONS
______
Waste Classification: Non-regulated solid waste
Disposal Method: Approved landfill
Waste from this product is not considered hazardous as defined under the
 Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in
 accordance with Federal, State, and Local regulation regarding pollution.
______
      Section 14 -- TRANSPORTATION INFORMATION
           Non-Regulated
OCEAN (IMDG): Non-Regulated AIR (IATA): Non-Regulated
WHMIS (CANADA): Non-Regulated
______
      Section 15 -- REGULATORY INFORMATION
REGULATORY DATA
Ingredient Name
______
 Diacetone Alcohol
           SARA 313
                     N/A
           TSCA Inventory
                   N/A
           CERCLA RQ
                     N/A
           RCRA Code
______
      Section 16 -- OTHER INFORMATION
______
  This document is prepared pursuant to the OSHA Hazard Communication
Standard (29 CFR 1910.1200). The information herein is given in good faith,
```

4 of 5 1/22/2016 11:29 AM

but no warranty, expressed or implied is made. Consult RectorSeal for further information: $(713)\ 263-8001$

5 of 5