## MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

**Product number** 

**GUM AWAY CHEWING GUM REMOVER Product name** 

**Effective date** 10-May-2007

**Manufacturer information** CSI PRODUCTS, INC.

ADDISON, IL 60101 United States

General Assistance 630-543-7600 Manufacturer phone

**Emergency telephone US** 866-836-8855 **Emergency telephone outside US** 952-852-4646

### 2. Hazards Identification

**Emergency overview** EXTREMELY FLAMMABLE

CONTENTS UNDER PRESSURE.

Aerosol. Pressurized container may explode when exposed to heat or flame.

Harmful in contact with eyes. Can cause adverse reproductive effects. Prolonged

exposure may cause chronic effects.

**OSHA** regulatory status

**Potential health effects** 

This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

**Eves** Contact may irritate or burn eyes. Eye contact may result in corneal injury. Skin

Prolonged or repeated contact can result in defatting and drying of the skin which may

result in skin irritation and dermatitis (rash).

**Inhalation** Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

Prolonged inhalation may be harmful.

Exposure by ingestion of an aerosol is unlikely. Ingestion may cause gastrointestinal **Ingestion** 

irritation, nausea, vomiting and diarrhea. May cause delayed lung damage.

**Target organs** Blood. Central nervous system. Liver. Respiratory system.

Unconsciousness. Conjunctiva. Sterility. Liver injury may occur. May cause central **Chronic effects** 

nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage. May cause delayed lung damage. Can cause adverse reproductive effects. Pregnant women or women of

child-bearing age should not be exposed to this product.

Signs and symptoms Discomfort in the chest. Corneal damage. Narcosis. Cyanosis. Liver enlargement.

Jaundice. Conjunctivitis. Defatting of the skin. Irritation. Birth defects. Sterility.

## 3. Composition / Information on Ingredients

Components	CAS#	Percent
n-Butane	106-97-8	60 - 70
Propane	74-98-6	20 - 30
Ethyl Alcohol	64-17-5	8 - 10

#### 4. First Aid Measures

First aid procedures

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact Eye contact

lenses, if present and easy to do. Get medical attention immediately.

Immediately take off all contaminated clothing. Wash off with warm water and soap. Get Skin contact

medical attention if irritation develops or persists.

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist. **Ingestion** Rinse mouth. Get medical attention immediately. Do not induce vomiting without medical

advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

**Notes to physician** Symptoms may be delayed.

**General advice** Call a physician if symptoms develop or persist.

### 5. Fire Fighting Measures

**Flammable properties**Containers may explode when heated. Vapor or gas may spread to distant ignition

sources and flash back.

**Extinguishing media** 

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical. Carbon dioxide (CO2).

Do not use a solid water stream as it may scatter and spread fire.

**Protection of firefighters** 

Protective equipment and precautions for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor

nozzles; if this is impossible, withdraw from area and let fire burn.

#### 6. Accidental Release Measures

**Personal precautions**Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. Ventilate closed spaces before entering. Keep unnecessary personnel

away.

**Methods for containment** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the

leak is irreparable.

**Methods for cleaning up**Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated

surface thoroughly.

## 7. Handling and Storage

**Handling** Pressurized container: Do not pierce or burn, even after use. Do not handle or store near

an open flame, heat or other sources of ignition. Use only in area provided with

appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid

prolonged exposure.

**Storage** Level 3 Aerosol.

Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Keep away from heat, sparks, and flame. Avoid exposure to long periods of sunlight. Store in cool place. Keep in an area equipped with sprinklers. Keep out of the reach of children. Use care in handling/storage.

Level 3 Aerosol.

# 8. Exposure Controls / Personal Protection

### **Exposure limits**

#### **ACGIH**

Components	CAS #	TWA	STEL	Ceiling
n-Butane	106-97-8	1000 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
Ethyl Alcohol	64-17-5	1000 ppm	Not established	Not established

Material ID: 877 Revision date: 10-MAY-2007 Print date: 10-MAY-2007 2

#### **OSHA**

Components	CAS #	TWA	STEL	Ceiling
Propane	74-98-6	1000 ppm	Not established	Not established
Ethyl Alcohol	64-17-5	1000 ppm	Not established	Not established

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**Personal protective equipment** 

**Eye / face protection** Wear chemical goggles. **Skin protection** Protective gloves.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

**General hygeine** When using do not smoke. Avoid contact with eyes. Avoid contact with skin. Handle in

**considerations** accordance with good industrial hygiene and safety practice.

# 9. Physical & Chemical Properties

**Appearance** Compressed liquefied gas.

**Color** clear colorless

OdorfruityPhysical stateLiquid.FormAerosol.

Flammability (HOC) 41.9597 kJ/g estimated

Flammability limits in air, upper,

% by volume

Not available

Not available

Flammability limits in air, lower,

% by volume

Flash back Yes

**Pressure** 60 - 70 psig @ 70F

**Solubility** Partially

**Flash point** -156 °F (-104.4 °C) estimated **Boiling point** 1.4 °F (-17.2 °C) estimated

**Specific gravity** 0.57 estimated

# 10. Chemical Stability & Reactivity Information

**Chemical stability** Risk of ignition. Stable at normal conditions.

**Conditions to avoid** Heat, flames and sparks.

**Incompatible materials** Isocyanates.

Hazardous decomposition

products

May include oxides of nitrogen.

### 11. Toxicological Information

Acute effects Acute LD50: 18475 mg/kg estimated, Rat, Oral

Acute LC50: 1538 mg/l/4h estimated, Rat, Inhalation

**Sensitization** Not expected to be hazardous by OSHA criteria.

**Local effects**Contact may irritate or burn eyes. Liver toxicity. Blood disorder may occur after ingestion.

Components of the product may be absorbed into the body through the skin.

**Chronic effects** Hazardous by OSHA criteria. Repeated absorption may cause disorder of central nervous

system, liver, kidneys and blood. Prolonged or repeated exposure may cause lung injury.

Prolonged exposure may cause chronic effects.

**Subchronic effects**Blood disorder may occur after prolonged inhalation. Blood disorder may occur after

prolonged skin contact.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Neurological effects** Hazardous by OSHA criteria.

**Mutagenicity** Not expected to be hazardous by OSHA criteria.

**Reproductive effects** Hazardous by OSHA criteria. Possible reproductive hazard. Can cause adverse

reproductive effects - such as birth defects, miscarriages, and infertility.

Material name: Chewing Gum Remover - Claire Manufacturing Co.

Material ID: 877 Revision date: 10-MAY-2007 Print date: 10-MAY-2007 3

**Teratogenicity** Not expected to be hazardous by OSHA criteria.

**Epidemiology** Hazardous by OSHA criteria. **Further information** Symptoms may be delayed.

# 12. Ecological Information

# 13. Disposal Considerations

**Waste codes** 

D001: Waste Flammable material with a flash point <140 F

**Disposal instructions** 

Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Incinerate the material under controlled conditions in an approved incinerator. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.

# **14. Transport Information**

### **Department of Transportation (DOT) Requirements**

**Basic shipping requirements:** 

Proper shipping name Consumer commodity

**Hazard class Subsidiary hazard class**  ORM-D None

**Additional information:** 

Packaging exceptions 156, 306 Packaging non bulk 156, 306 Packaging bulk None

# 15. Regulatory Information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA

Highly Hazardous Process Safety Standard, 29 CFR 1910.119.

Occupational Safety and Health Administration (OSHA)

**29 CFR 1910.1200 hazardous** Yes

chemical

**CERCLA (Superfund) reportable quantity** 

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

**Section 302 extremely** hazardous substance

No

**Section 311 hazardous** 

Yes

chemical

Material name: Chewing Gum Remover - Claire Manufacturing Co. Material ID: 877 Revision date: 10-MAY-2007 Print date: 10-MAY-2007

### **Inventory status**

Country(s) or region	Inventory name On inventory (yes/	no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
A "Yes" indicates that all compone	ents of this product comply with the inventory requirements administered by the governing country(s)	

# State regulations

### U.S. - Pennsylvania - RTK (Right to Know) List

Ethyl Alcohol 64-17-5 Present n-Butane 106-97-8 Present Propane 74-98-6 Present

### 16. Other Information

**HMIS**® ratings Health: 1\*

Flammability: 4 Physical hazard: 0

**Prepared by** Regulatory Compliance

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.

Issue date 10-May-2007

Material ID: 877 Revision date: 10-MAY-2007 Print date: 10-MAY-2007 5 / 5

MSDS US