# Material Safety Data Sheet: THREAD-EZE ULTRA BRUSH TOP, 1 LB SAMPLE, NAC NC

Supercedes Date 07/22/2010 Issuing Date 04/30/2013

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name THREAD-EZE ULTRA BRUSH TOP, 1 LB SAMPLE, NAC Product Code 5913

NC

Recommended use Lubricant Information on Manufacturer NATIONAL CHEMSEARCH

245 ORENDA RD **BRAMPTON ONT L6T 1E7** 

Chemical nature Petroleum distillates mixture

**Emergency Telephone Number** 

CHEMTREC® 800-424-9300

#### 2. HAZARDS IDENTIFICATION

**Emergency Overview** WARNING Causes eye irritation May cause skin irritation

Color White Physical State Grease **Odor** Oily

**Potential Health Effects Principle Route of Exposure** 

**Primary Routes of Entry** 

**Acute Effects** 

Inhalation

Eyes Causes eye irritation.

Skin May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Inhalation May cause irritation of respiratory tract.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Chronic Toxicity** Kidney injury may occur. Contains a known or suspected carcinogen. **Target Organ Effects** Respiratory system, Eyes, Skin, Kidney, Central nervous system.

Eye contact, Skin contact.

**Aggravated Medical Conditions** Respiratory disorders, Skin disorders, Neurological disorders, Kidney disorders.

**Potential Environmental Effects** See Section 12 for additional Ecological information.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No
White mineral oil, solvent refined	8042-47-5
Calcium carbonate	1317-65-3
Aluminum benzoate fatty acid complex	82980-54-9
Zinc oxide	1314-13-2
Crystalline Silica (Quartz)	14808-60-7

#### 4. FIRST AID MEASURES

General advice Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.

Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops **Eye Contact** 

and persists.

**Skin Contact** Wipe up with absorbent material (e.g. cloth, fleece). Wash off with soap and plenty of water. Get

medical attention if irritation develops and persists. Wash contaminated clothing before re-use.

Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get medical attention if symptoms occur. Ingestion

Notes to physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

**Flash Point** Does not flash Method Not applicable

Autoignition Temperature No information available.

Flammability Limits in Air % No information available. Upper No data available Lower No data available

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO2). Dry chemical. Alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions.

**Protective Equipment and Precautions for Firefighters** 

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 1 Flammability 1 Instability 0 HMIS Health 1 Flammability 1 Instability 0

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Prevent further leakage or spillage if

safe to do so. Material can create slippery conditions.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous

earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see

section 13)

Methods for Cleaning Up Pick up and transfer to properly labeled containers

Neutralizing Agent Not applicable.

#### 7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.

Storage Storage Temperature Store in original container. Keep container tightly closed in a dry and well-ventilated place.

Minimum 0 °F / -18 °C Maximum 120 °F / 49 °C

Maximum 120 °F / 49 °C

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH
White mineral oil, solvent refined	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>	IDLH 2500 mg/m <sup>3</sup>
			STEL 10 mg/m <sup>3</sup>
Calcium carbonate	No data available	TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
Aluminum benzoate fatty acid complex	No data available	No data available	No data available
Zinc oxide	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA: 15 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup>
	STEL: 10 mg/m <sup>3</sup>		Ceiling: 15 mg/m <sup>3</sup>
			STEL 10 mg/m <sup>3</sup>
			TWA: 5 mg/m <sup>3</sup>
Crystalline Silica (Quartz)	: 0.025 mg/m <sup>3</sup> TWA (respirable	No data available	IDLH: 50 mg/m <sup>3</sup>
	fraction)		TWA: 0.05 mg/m <sup>3</sup>

Engineering Measures

**Personal Protective Equipment** 

**Possibility of Hazardous Reactions** 

Eye/Face Protection
Skin Protection

Respiratory Protection

Ensure adequate ventilation, especially in confined areas.

Safety glasses with side-shields.

For prolonged or repeated contact, use protective gloves with appropriate chemical resistance. In case of insufficient ventilation wear suitable respiratory equipment. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations Ensure that eyewash stations and safety showers are close to the workstation location. Remove and

wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Semi-Solid **Physical State** Grease Viscosity Color White Odor Oily **Appearance** Opaque рΗ Not applicable **Specific Gravity** 0.98 **Evaporation Rate** 0 (Butyl acetate=1)

Percent Volatile (Volume) 0 VOC Content (%) 0

VOC Content (g/L) 0 Vapor Pressure <0.01 mmHg @ 70°F

Vapor Density 0 (Air = 1.0) Solubility Negligible

Boiling Point/Range No data available

### 10. STABILITY AND REACTIVITY

Chemical Stability Stable. Hazardous polymerization does not occur.

Conditions to Avoid None known

Incompatible Products Strong oxidizing agents, Strong acids.

Hazardous Decomposition Products

Carbon oxides, Zinc oxide fumes, Fumes of aluminum.

None under normal processing

#### 11. TOXICOLOGICAL INFORMATION

**Product Information** 

No information available.

#### Component Information

**Acute Toxicity** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
White mineral oil, solvent refined	> 5000 mg/kg ( Rat )	no data available	no data available	no data available	no data available
Calcium carbonate	no data available	no data available	no data available	no data available	no data available
Aluminum benzoate fatty acid	no data available	no data available	no data available	no data available	no data available
complex					
Zinc oxide	> 5000 mg/kg ( Rat )	no data available	no data available	no data available	no data available
Crystalline Silica (Quartz)	= 500 mg/kg ( Rat )	no data available	no data available	no data available	no data available

**Chronic Toxicity** 

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
White mineral oil, solvent refined	no data available	no data available	no data available	no data available	respiratory system
Calcium carbonate	no data available	no data available	no data available	no data available	eyes, respiratory system, skin
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available
Zinc oxide	no data available	no data available	no data available	no data available	respiratory system, CNS
Crystalline Silica (Quartz)	no data available	no data available	no data available		eyes, respiratory system (in animals: lung cancer), kidneys

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	ACGIH	IARC	NTP	OSHA	Other
White mineral oil, solvent refined	not applicable				
Calcium carbonate	not applicable				
Aluminum benzoate fatty acid	not applicable				
complex					
Zinc oxide	not applicable				
Crystalline Silica (Quartz)	A2	Group 1	Known	X	not applicable

## 12. ECOLOGICAL INFORMATION

Product Information

Component Information

No information available.

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
White mineral oil, solvent refined	no data available	LC50 > 10000 mg/L Lepomis	no data available	no data available	>6
		macrochirus 96 h			
Calcium carbonate	no data available	no data available	no data available	no data available	N/A
Aluminum benzoate fatty acid	no data available	no data available	no data available	no data available	N/A
complex					
Zinc oxide	no data available	no data available	no data available	no data available	N/A
Crystalline Silica (Quartz)	no data available	no data available	no data available	no data available	N/A

Persistence and Degradability

Bioaccumulation Mobility No information available. No information available. No information available.

## 13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

#### 15. REGULATORY INFORMATION

Inventories

TSCA Complies
DSL Complies

**U.S. Federal Regulations** 

**SARA 313** 

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which

are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Zinc oxide	1314-13-2	7-13	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of	Reactive Hazard
			Pressure Hazard	
Yes	Yes	No	No	No

#### CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
White mineral oil, solvent refined	Not applicable	Not applicable
Calcium carbonate	Not applicable	Not applicable
Aluminum benzoate fatty acid complex	Not applicable	Not applicable
Zinc oxide	Not applicable	Not applicable
Crystalline Silica (Quartz)	Not applicable	Not applicable

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class** 

D2A Very toxic materials D2B Toxic materials



## 16. OTHER INFORMATION

Prepared By Angela Hutson Supercedes Date 07/22/2010 Issuing Date 04/30/2013

Reason for RevisionNo information available.GlossaryNo information available.List of References.No information available.

NATIONAL CHEMSEARCH assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.