

KAR BLOVEY

Health
Fluoride
Reactivity
Speed & Accuracy

PERCENT:

Trade secret per perfume manufacturer
Trade secret per dye manufacturer

PERCE
105°
10°
10°
10°
7°
5°
40.5°
111.25°

Specific gravity	1.12
Vapor Pressure (mmHg)	Same as water
Solubility in water	Complete
Ether=1;	>1
%Volatile by volume	N/E
	4.5 g/ml
	9.35

Extinguishing media: N/A
Unusual explosion and fire procedures: N/A

HAZARDOUS DECOMPOSITION: Sulfur Dioxide in fire

Threshold limit value product:	None established				
Primary routes of exposure	Eye: X	Skin: X	Inhalations: X	Ingestion: X	Other
Signs and symptoms of over-exposure (Acute):	Prolonged breathing of vapor can cause headache or irritation				
Signs and symptoms of over-exposure (Chronic):	Material may defat skin on repeated exposure leading to dermatitis				
Carcinogenicity	NTP: NO	IARC: NO	OSHA: NO		
Signs and symptoms of exposure	Prolonged breathing of vapor can cause headache or irritation if misapplied. Can be irritating to eyes on direct contact				
Medical conditions aggravated by exposure:	Skin contact can aggravate existing dermatitis.				
Carcinogen or suspect carcinogen ingredients:	This product contains no listed carcinogens.				

Eyes	Flush eyes with running water for 15 minutes. Get medical attention if irritation persists.
Skin	Wash skin with water then wash with soap and water. Get medical attention if irritation persists.
Ingestion	Do not induce vomiting. Drink immediately copious amounts of cold water or milk as a diluent and administer by mouth if neutralized such as magnesium hydroxide or magnesium. Avoid carbonates and bicarbonates, because they release carbon dioxide, which produces gastric distention and sometimes rupture. Never attempt to give by mouth to an unconscious person. Call physician immediately.
Inhalation	Remove to fresh air. Administer oxygen if breathing is difficult. Get medical attention.

Respiratory protection:	Not required when used per label directions	Ventilation requirements: None
Protective gloves:	Neoprene chemical resistant gloves recommended	
Other protective clothing:	Chemical goggles and apron are recommended if splashing is possible	
Other personal factors:	Avoid breathing vapor or spray mist. Wash hands thoroughly after contact and before meals and breaks.	

Step 1: Extract and released in series. Dilute with water and pick up with mop, wet-vac pick-up or automatic scrubber. Flush away the slippery film, scale and odor residue.
 • Large non-recurmable spills
 Waste out of premises. Dilute and pour down sewer if local regulations permit.

For information on safe use, handling and storage: Keep container closed when not in use. Always follow label instructions.

locations for use:

- ☐ schools
- ☐ universities
- ☐ factories
- ☐ airport
- ☐ stadium
- ☐ convention center
- ☐ restaurants
- ☐ other buildings
- ☐ hospital
- ☐ shopping center