Renown[®] All Purpose Foaming Cleaner

(REN05008-AM / 880265)

Version 1.0Revision Date 05/20/2015Print Date 05/29/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Material name | : | Renown® All Purpose Foaming Cleaner |
|------------------------------|------|---|
| Material number | : | A00170 |
| Manufacturer or supplier's d | etai | ils |
| Company | : | Interline Brands |
| Address | : | 701 San Marco Blvd. Jacksonville, FL 32207 |
| Telephone | : | 1-866-412-6726 |

| Emergency telephone numbers | | |
|-----------------------------------|---|-------------------------|
| For SDS Information | : | 1-866-412-6726 |
| For a Medical Emergency | : | 1-800-424-9300 |
| For a Transportation Emergency | : | Chemtrec 1-800-424-9300 |

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | Aerosol containing a liquefied gas |
|------------|------------------------------------|
| Colour | white |
| Odour | ammoniacal, mint-like |

| GHS Classification | |
|----------------------|--|
| Gases under pressure | |

| Gases under pressure | : Liquefied gas | |
|--------------------------|---|--|
| GHS Label element | | |
| Hazard pictograms | | |
| Signal word | : Warning | |
| Hazard statements | : H280 Contains gas under pressure; may explode if heated. | |
| Precautionary statements | : Storage: P410 + P403 Protect from sunlight. Store in a well-ventilated place. | |
| Potential Health Effects | | |
| Carcinogenicity: | | |
| IARC | No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. | |

Renown® All Purpose Foaming Cleaner (REN05008-AM / 880265)

| Version 1.0 | Revision Date 05/20/2015 | Print Date 05/29/2015 |
|-------------|--|-----------------------|
| ACGIH | Confirmed animal carcinogen with u humans | nknown relevance to |
| OSHA | 2-butoxyethanol No component of this product prese equal to 0.1% is identified as a carci carcinogen by OSHA. | |
| NTP | No component of this product prese equal to 0.1% is identified as a know by NTP. | |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

| Chemical Name | CAS-No. | Concentration [%] |
|-------------------------------------|-------------|-------------------|
| butane | 106-97-8 | >= 1 - < 5 |
| 2-butoxyethanol | 111-76-2 | >= 1 - < 5 |
| 4-Nonylphenol branched, ethoxylated | 127087-87-0 | >= 1 - < 5 |

SECTION 4. FIRST AID MEASURES

| General advice | Do not leave the victim unattended. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. |
|-------------------------|---|
| If inhaled | If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact | If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes. |
| In case of eye contact | Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If in eyes, rinse with water for 15 minutes. |
| If swallowed | Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media | : | Water spray jet |
|------------------------------|---|------------------------|
| | | Alcohol-resistant foam |
| | | Carbon dioxide (CO2) |
| | | Dry chemical |

Renown® All Purpose Foaming Cleaner (REN05008-AM / 880265)

| Version 1.0 | | Revision Date 05/20/2015 | Print Date 05/29/2015 |
|---|---|--|------------------------|
| Unsuitable extinguishing media | : | High volume water jet | |
| Specific hazards during firefighting | : | Do not allow run-off from fire fighting to courses. | enter drains or water |
| Hazardous combustion products | : | Carbon dioxide (CO2) Carbon monoxide Smoke | |
| Specific extinguishing methods | : | | |
| menous | | Use extinguishing measures that are a circumstances and the surrounding en- | |
| Further information | : | Collect contaminated fire extinguishing must not be discharged into drains. Fire residues and contaminated fire ex be disposed of in accordance with loca | tinguishing water must |
| Special protective equipment for firefighters | : | Wear self-contained breathing apparat necessary. | us for firefighting if |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
|---|--|
| Environmental precautions | Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | Sweep up or vacuum up spillage and collect in suitable container for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). |

SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist. Always replace cap after use. |
|-------------------------|---|
|-------------------------|---|

| Version 1.0 | | Revision Date 05/20/2015 | Print Date 05/29/2015 |
|-----------------------------|---|---|--|
| Conditions for safe storage | : | BEWARE: Aerosol is pressurized. Keep exposure and temperatures over 50 °C or throw into fire even after use. Do not red-hot objects. Keep in a dry, cool and well-ventilated p Observe label precautions. Electrical installations / working materia the technological safety standards. | . Do not open by force spray on flames or place. |
| Materials to avoid | : | No materials to be especially mentioned | d. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components CAS-No. Value type Control Basis (Form of parameters / exposure) Permissible concentration 106-97-8 TWA NIOSH REL butane 800 ppm 1,900 mg/m3 TWA 800 ppm OSHA P0 1,900 mg/m3 2-butoxyethanol 111-76-2 TWA 20 ppm ACGIH TWA 5 ppm NIOSH REL 24 mg/m3 OSHA Z-1 TWA 50 ppm 240 mg/m3 OSHA P0 TWA 25 ppm 120 mg/m3

Components with workplace control parameters

Biological occupational exposure limits

| Component | CAS-No. | Control | Biological | Sampling | Permissible | Basis |
|---------------------|----------|----------------------------|------------|---|---------------|-----------|
| | | parameters | specimen | time | concentration | |
| 2-BUTOXYETHANOL | 111-76-2 | Butoxyacetic acid (BAA) | Urine | End of shift (As soon as possible after exposure | 200 mg/g | ACGIH BEI |
| | | | | ceases) | | |
| Remarks: Creatinine | | | | | | |

Personal protective equipment

| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment. Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. |
|----------------------------|--|
| Hand protection Remarks | : The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Eye protection | : Ensure that eyewash stations and safety showers are close to |
| | A / A A |

| | | - |
|--------------------------|--|-----------------------|
| Version 1.0 | Revision Date 05/20/2015 | Print Date 05/29/2015 |
| | the workstation location. Safety glasses | |
| Skin and body protection | : impervious clothing Choose body protection according concentration of the dangerous su | |
| Hygiene measures | : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at | the end of workday. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : | Aerosol containing a liquefied gas |
|--|---|------------------------------------|
| Colour | : | white |
| Odour | : | ammoniacal, mint-like |
| рН | : | no data available |
| Melting point/freezing point | : | no data available |
| Boiling point | : | no data available |
| Flash point | : | not applicable |
| Evaporation rate | | no data available |
| | | |
| Upper explosion limit | - | no data available |
| Lower explosion limit | : | no data available |
| Vapour pressure | : | no data available |
| Density | : | 1 g/cm3 |
| Solubility(ies) | | |
| Water solubility | : | soluble |
| Partition coefficient: n- octanol/water | : | no data available |
| Auto-ignition temperature | : | not determined |
| Thermal decomposition | : | no data available |
| Viscosity | | |
| Viscosity, kinematic | : | no data available |
| Heat of combustion | : | 3.13 kJ/g |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : | Stable |
|--------------------|---|---------------------------------|
| Chemical stability | : | Stable under normal conditions. |

| Version 1.0 | Revision Date 05/20/2015 | Print Date 05/29/2015 |
|------------------------------------|--|-----------------------|
| Possibility of hazardous reactions | S : Vapours may form explosive mix No decomposition if stored and a | |
| Conditions to avoid | : Heat, flames and sparks. Extremes of temperature and dire | ect sunlight. |
| Incompatible materials | : Copper Alkali metals | |
| Hazardous decompositi products | ion : Carbon oxides Nitrogen oxides (NOx) | |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

| Product: | |
|-----------------------------------|---|
| Acute oral toxicity | : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |
| Acute inhalation toxicity | : Acute toxicity estimate : > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method |
| Acute dermal toxicity | : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |
| Components: | |
| butane: | |
| Acute inhalation toxicity | : LC50 mouse: 1,237 mg/l Exposure time: 2 h |
| | LC50 rat: 1,355 mg/l |
| 4-Nonylphenol branched, eth | noxylated: |
| Acute oral toxicity | : LD50 rat: 5,000 mg/kg |
| Acute dermal toxicity | : LD50 rabbit: 2,573 mg/kg |
| Skin corrosion/irritation | |
| Product: | |
| Remarks: May cause skin irrit | ation and/or dermatitis. |
| Serious eye damage/eye irritation | n |
| Product: | |
| Remarks: Vapours may cause | e irritation to the eyes, respiratory system and the skin. |

Renown[®] All Purpose Foaming Cleaner

Version 1.0

Revision Date 05/20/2015

Print Date 05/29/2015

(REN05008-AM / 880265)

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

butane: 2-butoxyethanol: 4-Nonylphenol branched, ethoxylated:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

| Partition coefficient: n- octanol/water | : Remarks: no data available |
|--|------------------------------|
| Components: | |
| butane : | |
| Partition coefficient: n- octanol/water | : Pow: 2.89 |

Mobility in soil

no data available

Other adverse effects

no data available Product:

| Version 1.0 | Revision Date 05/20/2015 | Print Date 05/29/2015 |
|-----------------------------------|--|------------------------|
| Regulation | 40 CFR Protection of Environm Stratospheric Ozone - CAA Se Substances | |
| Remarks | This product neither contains, r with a Class I or Class II ODS a Clean Air Act Section 602 (40 (+ B). | as defined by the U.S. |
| Additional ecological information | : An environmental hazard cann event of unprofessional handlir aquatic life. | |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | |
|------------------------|--|
| Waste from residues | The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations. |
| Contaminated packaging | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum. |

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

Renown[®] All Purpose Foaming Cleaner

Version 1.0

Revision Date 05/20/2015

Print Date 05/29/2015

(REN05008-AM / 880265)

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|---------------------------|-----------|-----------------------|--------------------------------|
| ammonia, aqueous solution | 1336-21-6 | 1000 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards | : | Sudden Release of Pressure Hazard | | |
|----------------------|---|---|--|-----------------|
| SARA 302 | : | The following components are subject established by SARA Title III, Section ammonia, aqueous solution 1 | | els 0.1146 % |
| SARA 313 | : | SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. | | |
| California Prop 65 | | This product does not contain any che California to cause cancer, birth defec reproductive harm. | | o State of |

The components of this product are reported in the following inventories:

| TSCA | On TSCA Inventory |
|-------|---|
| DSL | This product contains one or several components that are not on the |
| | Canadian DSL nor NDSL. |
| AICS | Not in compliance with the inventory |
| NZIoC | Not in compliance with the inventory |
| PICCS | Not in compliance with the inventory |
| IECSC | Not in compliance with the inventory |
| | |

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

SAFETY DATA SHEET **Renown® All Purpose Foaming Cleaner**


(REN05008-AM / 880265)

Version 1.0

Revision Date 05/20/2015

Print Date 05/29/2015





HMIS III:

| HEALTH | 3 |
|-----------------|---|
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 2 |

^{0 =} not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA GHS Label Information:



| Version: | 1.0 |
|----------------|------------|
| Revision Date: | 05/20/2015 |
| Print Date: | 05/29/2015 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Renown® All Purpose Foaming Cleaner (REN05008-AM / 880265)

Version 1.0

Print Date 05/29/2015

1000838