MATERIAL SAFETY DATA SHEET

Page 1 of 8

MSDS-075

Prep	pared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards	MSDS Revision: 2.1	MSDS	Revision Date: 12/04	/2008
_	1. PRODUCT IDE	NTIFICATION			
1.1	Product Name: PEDICURE SOFTEN				
1.2	Chemical Name: AQUEOUS LOTION				
1.3	Synonyms: NA				
1.4	Trade Names: PC124, PC127, PC128, PC129				
1.5	Product Use: PROFESSIONAL OR SUNDRY USE ONLY				
1.6	Manufacturer's Name: OPI PRODUCTS, INC.				
1.7	Manufacturer's Address: 13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA				
1.8	Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300				
1.9	Business Phone: +1 (818) 759-2400 / +1 (800) 341-9999				
	2. HAZARD IDEN	NTIFICATION			
2,1	Hazard Identification: This product is NOT classified as a HAZARDOUS SUBSTANCE or a [NOHSC: 1088 (2004)] and ADG Code (Australia).	s DANGEROUS GOODS	according	to the classification	criteria of
2.2	Routes of Entry: Inhalation: NO	Absorption:	YES	Ingestion:	YES
2.3	Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting SKIN & EYES: Slightly irritating to the eyes. May be irritating to skin INHALATION: Inhalation is unlikely, however, vapors of this produc	g and/or diarrhea. In some sensitive individ	luals, espec	ially after prolonged	
2.4	Symptoms of Overexposure: Symptoms of overexposure may include redness, itching, and irritation.	ilon.			
2.5	Acute Health Effects: Redness, itching, and irritation of skin at the site of contact for some	sensitive individuals.			
2.6	Chronic Health Effects: No chronic health effects are known, although symptoms and following ingestion. Butylmethoxydibenzoylmethane, propylene gquantifies in this product, may be mild allergens to some sensitive in	discomfort may occur lycol, methylparaben an	for several d propylpa	days following ove raben, contained in v	rexposure very small
2.7	Target Organs: Eyes, skin.				
	Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Li : all WHMIS required information is included. It is located in appropriate				

MATERIAL SAFETY DATA SHEET

Page 2 of 8

MSDS-075

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1

MSDS Revision Date: 12/04/2008

3. COMPOSITION & INGREDIENT INFORMATION

		EXPOSURE LIMITS IN AIR (mg/m³)											
			ACGIH NOHSC						OTHER				
					ppr	m	ES-	ppm ES-	ES-		ppm)———	OTHER
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	TLV	STEL	IDLH	
AQUA (WATER)	7732-18-5	ZC0110000	231-791-2	≤ 70.0	NA	NA	NF	NF	NF	NA	NA	NA	
ISOPROPYL PALMITATE	142-91-6	NA	205-571-1	≤ 12.0	NA	NA	NF	NF	NF	NA	NA	NA	
CETYL ALCOHOL	36653-82-4	MM0225000	253-149-0	≤ 7.0	NA	NA	NF	NF	NF	NA	NA	NA	
POLYSORBATE-60	9005-67-8	WG2934000	NA	≤ 7.0	NA	NA	NF	NF	NF	NA	NA	NA	
GLYCERYL STEARATE SE	11099-07-3	NA	234-325-6	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
PROPYLENE GLYCOL	57-55-6	TY2000000	200-338-0	≤ 3.0	NA	NA	NF	NF	NF	NA	NA	NA	
PHENOXYETHANOL	122-99-6	KM0350000	204-589-7	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
DIMETHICONE	9006-65-9	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
STEARIC ACID	57-11-4	WI2800000	200-313-4	<1.0	NA	NA	NF	NF	NF	NA	NA	NA	
SACCHARUM OFFICINARUM (SUGAR CANE) EXTRACT	91722-22-4	NA	294-424-5	<1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CYCLOPENTASILOXANE	541-02-6	G5945000	208-764-9	<1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ETHYLHEXYL METHOXYCINNAMATE	5466-77-3	NA	226-775-7	<0.4	NA	NA	NF	NF	NF	NA	NA	NA	
METHYLPARABEN	99-76-3	DH2450000	NA	<0.4	NA	NA	NF	NF	NF	NA	NA	NA	
CITRUS MEDICA LIMONUM (LEMON) FRUIT EXTRACT	84929-31-7	NA	284-515-8	<0.4	NA	NA	NF	NF	NF	NA	NA	NA	
FRAGRANCE (PARFUM)	NA	NA	NA	<0.2	NA	NA	NF	NF	NF	NA	NA	NA	
PROPYLPARABEN	94-13-3	DH2800000	202-307-7	<0.2	NA	NA	NF	NF	NF	NA	NA	NA	
CAMELLIA OLEIFERA LEAF EXTRACT	84650-60-2	NA	NA	<0.2	NA	NA	NF	NF	NF	NA	NA	NA	
CITRUS AURANTIUM DULCIS (ORANGE) FRUIT EXTRACT	84012-28-2	NA	NA	<0.2	NA	NA	NF	NF	NF	NA	NA	NA	
PYRUS MALUS (APPLE) FRUIT EXTRACT	85251-63-4	NA	286-475-7	<0.2	NA	NA	NF	NF	NF	NA	NA	NA	
внт	128-37-0	GO7875000	204-881-4	<0.2	NA	NA	NF	NF	NF	NA	NA	NA	
BUTYL METHOXYDIBENZOYL- METHANE	70356-09-1	NA	274-581-6	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	
BUTYLPARABEN	94-26-8	DH1980000	202-318-7	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	
ETHYLHEXYL SALICYLATE	29806-73-3	NA	249-862-1	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	
DISODIUM EDTA	139-33-3	AH4375000	205-358-3	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	
MENTHOL	89-78-1	ОТ0350000	218-690-9	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	
PEG-40 HYDROGENATED CASTOR OIL	61788-85-0	NA	NA	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	
PPG-26-BUTETH-26	9038-95-3	YP8420000	NA	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	

MATERIAL SAFETY DATA SHEET

Page 3 of 8

MSDS-075

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1

MSDS Revision Date: 12/04/2008

		3.	COMPO	& NOITIS	INGREDIE	NT IN	IFOR/	MATI	ON -	con	tinue	d			
									EXP	OSURE	LIMITS	N AIR (mg/m³	3)	
							ACC			NOHSC			OSHA		OTHER
							pp	m I	ES-	ppm ES-	ES-		ppm		OTHER
	CHEMICAL NA	ME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	TLV	STEL	IDLH	
IEXY	L CINNAMAL		101-86-0	GD6560000	202-983-3	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
	LPHENYL METHYI		80-54-6	MW4895000	201-289-8	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
ERSI XTR	EA GRATISSIMA (ACT	(AVOCADO)	84695-98-7	NA	NA	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	
INA	.00L		78-70-6	RG5775000	201-134-4	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
ITRO	ONELLOL		106-22-9	RH340000	203-375-0	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
LPH	A-ISOMETHYL IC	NONE	127-51-5	NA	204-846-3	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
IMO	NENE		138-86-3	OS8100000	138-86-3	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
ENZ	YL BENZOATE		120-51-4	DG420000	204-402-9	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
:119	140 (YELLOW 5)		1934-21-0	UG6400000	214-699-5	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	
YÇI	OXYISOHEXYL 3 OHEXENE SOXALDEHYDE	3-	31906-04-4	NA	250-863-4	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
:117	200 (RED 33)		3567-66-6	QJ6197000	222-656-9	<0.1	NA	NA	NF	NF	NF	NA	NA	NA	
										Ÿ.					
				4.	FIRST AID	ME	ASURI	ES							
4.1	First Ald:														
	INGESTION:	plenty of we	ater or milk.	Never give v	Drink plenty o vater or milk t in estimate of	o an ur	consci	ous pe	rson. (Contact	the ne	arest P	oison (Control	ue to offer Center or
	EYES:	If product is to ensure th	s in the eyes orough irrigo	, flush with co ation. If prob	opious amoun Iem persists, c	ts of lu onsult o	kewarm a physic	n wate cian.	r for at	least 1	5 minul	es. Op	en an	d close	e eyelid(s)
SKIN: If redness, dryne soap. If Irritation			dryness or of ation persists	her signs of i s, consult a p	rritation to the hysician.	skin d	evelop,	wash	affecte	ed skin	areas v	vith ple	nty of	warm v	vater and
	INHALATION:	Remove vic	tim to fresh	air at once.											
4.2	Medical Conditions Aggravated by Exposure:								HE	ALTH					0
	None known.								DESIGNATION .	AMM	ST. 188	ITV			0
									-			LIL SHARE	SEPTEMBER 1		
									IRE	ACTI	VIII				
													21 161=		0
										OTEC		EQU	IPME	NT	0

MATERIAL SAFETY DATA SHEET

Page 4 of 8

MSDS-075

Prep	repared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 12/04/2008					
	5. FIREFIGHTING MEASURES					
5.1	Flashpoint & Method:					
	Non-flammable.					
5.2	Autolgnlifton Temperature: NA					
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA					
5.4	Fire & Explosion Hazards: This product is non-flammable.					
5.5	Extinguishing Methods:					
0.0	NA O O					
5.6	Fireflighting Procedures: NA					
	6. ACCIDENTAL RELEASE MEASURES					
6.1	Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.					
	For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.					
	7. HANDLING & STORAGE INFORMATION					
7.1	Work & Hyglene Practices: Avoid eye contact.					
7.2	Storage & Handling:					
	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.					
7.3	Special Precautions:					
	Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.					
	8. EXPOSURE CONTROLS & PERSONAL PROTECTION					
8.1	Ventilation & Engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use.					
8.2	Respiratory Protection:					
	None required if used in a well-ventilated area.					
8.3	Eye Protection: Avoid eye contact. None required under normal conditions of use.					
8.4	Hand Protection:					
	None required under normal conditions of use.					
8.5	Body Protection: None required under normal conditions of use.					

MATERIAL SAFETY DATA SHEET

Page 5 of 8 **MSDS-075**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision Date: 12/04/2008 9. PHYSICAL & CHEMICAL PROPERTIES Density: 0.99 9.2 **Boiling Point:** ND 9.3 Melting Point: ND 9.4 Evaporation Rate: ND 9.5 Vapor Pressure: ND 96 Molecular Welaht: 9.7 Appearance & Color: Semi-viscous, rose colored creme with characteristic (berry) odor, 9.8 Odor Threshold: Solublity: 9.9 Soluble in water. 9.10 На 7.21 Viscosity: NA 9.12 Other Information: NA 10. STABILITY & REACTIVITY This product is stable. 10.2 Hazardous Decomposition Products: Oxides of carbon and nitrogen. 10.3 Hazardous Polymertzation: Will not occur. 10.4 Conditions to Avoid: Open flames, sparks, high heat and direct sunlight. 10.5 Incompatible Substances; None known. 11. TOXICOLOGICAL INFORMATION 11.1 The product has not been tested for specific toxicity data. 11.2 Acute Toxicity: See section 2.5 Chronic Toxicity: See section 2.6 11.4 Suspected Carcinogen: No. 11.5 This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. Irritancy of Product: 11.6 See Section 2.3 11.7 Blological Exposure indices: NE 11.8 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability: 12.1 There is no specific data available for this product. 12.2 Effects on Plants & Animals: There is no specific data available for this product. Effects on Aquatic Life: There is no specific data available for this product.

MATERIAL SAFETY DATA SHEET

Page 6 of 8 **MSDS-075**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSD\$ Revision: 2.1 MSDS Revision Date: 12/04/2008 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with Federal, state and local regulations. Special Considerations: 13.2 NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR): **NOT REGULATED** IMDG (OCN): 14.3 **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** 14.5 ADR/RID (EU): **NOT REGULATED** 14.6 MEXICO (SCT): **NOT REGULATED** 14.7 ADGR (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting Requirements: This material contains Phenoxyethanol (CAS# 122-99-6) which is subject to the reporting regulrements of Section 313 of SARA Title III and 40 CFR Part 373. 15.2 SARA Threshold Planning Quantity: NA 15.3 TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status. 15.4 CERCLA Reportable Quantity (RQ): NA Other Federal Regulrements: 15.5 This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). Phenoxyethanol (listed as glycol ethers) is listed as a hazardous air pollutant (HAP). Other Canadlan Regulations: 15.6 This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. State Regulatory Information: 15.7 Phenoxyethanol can be found on the following state right to know lists: Pennsylvania, (listed as Glycol ethers). California No Significant Risk Level: None of the chemicals in this product are listed. 15.8 67/548/EEC (European Union) Regulrements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.

+1 (310) 370-5700 fax

http://www.shipmate.com/

MATERIAL SAFETY DATA SHEET

Page 7 of 8

MSDS-075

MSDS Revision: 2.1 MSDS Revision Date: 12/04/2008 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards 16. OTHER INFORMATION 16.1 Other Information: Use only as directed. Discontinue use immediately if irritation develops. Terms & Definitions: Please see last page of this MSDS. 16.3 This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: OPI Products, Inc. 13034 Saticoy Street $0 \cdot P \cdot I$ No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/ 16.5 Prepared by: ShipMate, Inc. 780 Buckaroo Trail, Suite D Sisters, OR 97759-0787 +1 (310) 370-3600 phone

Training & Consulting

MATERIAL SAFETY DATA SHEET

Page 8 of 8

MSDS-075

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1

MSDS Revision Date: 12/04/2008

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists				
TLV Threshold Limit Value					
OSHA U.S. Occupational Safety and Health Administration					
PEL	Permissible Exposure Limit				
IDLH	Immediately Dangerous to Life and Health				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide
	whose heart has stopped receives manual chest
	compressions and breathing to circulate blood and provide
	oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

A	8			
В	8			
С	5		4	
D			~ h	
E	8			
F	8	8	~	





Vapor Respirator









or SCBA

Full Face Respirator Respirator

Note: the dotted circle indicates that this respiratory profective equipment is required for high concentrations or for large volume spills or releases of product.

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion
Temperature	in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by
	volume, that will explode or ignite in the presence of
	an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air,
	by volume, that will explode or ignite in the presence of
	an ignition source

HAZARD RATINGS:

Minimal Hazard
Slight Hazard
Moderate Hazard
Severe Hazard
Extreme Hazard
Acidic
Alkaline
Corrosive
Use No Water
Oxidizer



TOXICOLOGICAL INFORMATION:

Lethal Dose (solids & liquids) which kills 50% of the exposed animals s					
Lethal concentration (gases) which kills 50% of the exposed animal					
Concentration expressed in parts of material pe million parts					
Lowest dose to cause a symptom					
Lowest concentration to cause a symptom					
Lowest dose (or concentration) to cause lethal or					
toxic effects					
International Agency for Research on Cancer					
National Toxicology Program					
Registry of Toxic Effects of Chemical Substances					
Bioconcentration Factor					
Median threshold limit					
Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System						
AALIMAN							
DOT	U.S. Department of Transportation						
TC	Transport Canada						
EPA	U.S. Environmental Protection Agency						
DSL	Canadian Domestic Substance List						
NDSL	Canadian Non-Domestic Substance List						
PSL	Canadian Priority Substances List						
TSCA	U.S. Toxic Substance Control Act						
EU	European Union (European Union Directive 67/548/EEC)						

EC INFORMATION:

	W.	37.	7	100		×	*
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxldizing	Toxic	Irritant	Harmful