

# Safety Data Sheet

1. IDENTIFICATION   Product Identifier   Product Name Buckeye Penetrate   Other means of identification   SDS # BE-5023   Product Code 5023   Recommended use of the chemical and restrictions on use   Recommended Use Floor Finish Stripper, Water Based.   Details of the supplier of the safety data sheet Supplier Address   Buckeye International, Inc. 2700 Wagner Place   Maryland Heights, MO 63043 USA Emergency Telephone Number   Company Phone Number 1-651-632-8956 (International)   1.800-303-0441 (North America) 1-800-535-5053 (North America)   Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)   1.800-535-5053 (North America) 2.   Appearance Clear liquid Physical State Liquid Odor No scent No fragrance added   Classification Category 2 2   May be harmful if swallowed Serious eye damage/eye irritation Category 2	Issue Date:	27-Dec-2011	Revision Date:	26-Nov-2014		Version 1
Product Name Buckeye Penetrate   Other means of identification SDS # BE-5023   Product Code 5023   Recommended use of the chemical and restrictions on use Recommended Use Floor Finish Stripper, Water Based.   Details of the supplier of the safety data sheet Supplier Address Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA Stripper, 1-651-632-8956 (International) 1-800-303-0441 (North America)   Emergency Telephone Number Company Phone Number 1-800-335-0441 (North America) 1-800-330-0441 (North America)   Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 Morth America)   Progenance Clear liquid Physical State Liquid Odor No scent No fragrance added   Classification In the classification below. Per 29 CFR 1910.1200, this product has received further evaluation from the manufacturer. The test results provided are reflected in the classification below.   Serious eye damage/eye irritation Category 2   Hazards Not Otherwise Classified (HNOC) May be harmful if swallowed Category 2			1. IDENT	IFICATION		
SDS # BE-5023   Product Code 5023   Recommended use of the chemical and restrictions on use Recommended Use Floor Finish Stripper, Water Based.   Details of the supplier of the safety data sheet Supplier Address Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA Emergency Telephone Number 1-651-632-8956 (International) 1-800-303-0441 (North America)   Emergency Telephone Number Company Phone Number 1-800-535-5053 (North America) International (International) 1-800-535-5053 (North America)   Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America) Odor No scent No fragrance added   Appearance Clear liquid Physical State Liquid Odor No scent No fragrance added   Glassification In the classification below. Serious eye damage/eye irritation Category 2   Hazards Not Otherwise Classified (HNOC) May be harmful if swallowed Category 2			Buckeye Penetrate			
Recommended use of the chemical and restrictions on use Recommended Use Floor Finish Stripper, Water Based.   Details of the supplier of the safety data sheet Supplier Address Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA   Emergency Telephone Number Company Phone Number 1-651-632-8956 (International) 1-800-303-0441 (North America) INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)   Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)   Mapearance Clear liquid Physical State Liquid Odor No scent No fragrance added   Classification In the classification below. Per 29 CFR 1910.1200, this product has received further evaluation from the manufacturer. The test results provided are reflected in the classification below.   Serious eye damage/eye irritation Category 2   Hazards Not Otherwise Classified (HNOC) May be harmful if swallowed		s of identification	BE-5023			
Recommended Use Floor Finish Stripper, Water Based.   Details of the supplier of the safety data sheet Supplier Address Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA   Emergency Telephone Number Company Phone Number 1-651-632-8956 (International) 1-800-303-0441 (North America)   Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)   Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)   Appearance Clear liquid Physical State Liquid Odor No scent No fragrance added   Classification In the classification below. Per 29 CFR 1910.1200, this product has received further evaluation from the manufacturer. The test results provided are reflected in the classification below. Category 2   Hazards Not Otherwise Classified (HNOC) May be harmful if swallowed Category 2	Product Cod	le	5023			
Supplier Address   Buckeye International, Inc.   2700 Wagner Place   Maryland Heights, MO 63043 USA   Emergency Telephone Number   1-800-303-0441 (North America)   Emergency Telephone (24 hr)   INFOTRAC 1-352-323-3500 (International)   1-800-535-5053 (North America)   Emergency Telephone (24 hr)   INFOTRAC 1-352-323-3500 (International)   1-800-535-5053 (North America)   Category Telephone (24 hr)   INFOTRAC 1-352-323-3500 (International)   1-800-535-5053 (North America)   Category Telephone (24 hr)   INFOTRAC 1-352-323-3500 (International)   1-800-535-5053 (North America)   Category Telephone (24 hr)   INFOTRAC 1-352-323-3500 (International)   1-800-535-5053 (North America)   Category Telephone (24 hr)   INFOTRAC 1-352-323-3500 (International)   1-800-535-5053 (North America)   Per 29 CFR 1910.1200, this product has received further evaluation from the manufacturer. The test results provided are reflected in the classification below.   Serious eye damage/eye irritation Category 2   Hazards Not Otherwise Classified (HNOC)   May be harmful if swallowed				ter Based.		
Company Phone Number 1-651-632-8956 (International)   1-800-303-0441 (North America)   Emergency Telephone (24 hr)   INFOTRAC 1-352-323-3500 (International)   1-800-535-5053 (North America)   2. HAZARDS IDENTIFICATION   Appearance Clear liquid Physical State Liquid Odor No scent No fragrance added   Classification   Per 29 CFR 1910.1200, this product has received further evaluation from the manufacturer. The test results provided are reflected in the classification below.   Serious eye damage/eye irritation Category 2   Hazards Not Otherwise Classified (HNOC)   May be harmful if swallowed	Supplier Add Buckeye Inte 2700 Wagner	<b>dress</b> rnational, Inc. r Place	<u>data sheet</u>			
Appearance Clear liquid Physical State Liquid Odor No scent No fragrance added   Classification Per 29 CFR 1910.1200, this product has received further evaluation from the manufacturer. The test results provided are reflected in the classification below. Serious eye damage/eye irritation Category 2   Hazards Not Otherwise Classified (HNOC) May be harmful if swallowed Serious eye damage/eye Serious eye damage/eye	Company Ph	none Number	1-800-303-0441 (North America) INFOTRAC 1-352-323-3500 (International)			
Classification   Per 29 CFR 1910.1200, this product has received further evaluation from the manufacturer. The test results provided are reflected in the classification below.   Serious eye damage/eye irritation Category 2   Hazards Not Otherwise Classified (HNOC)   May be harmful if swallowed			2. HAZARDS II	DENTIFICATION		
Per 29 CFR 1910.1200, this product has received further evaluation from the manufacturer. The test results provided are reflected in the classification below.   Serious eye damage/eye irritation Category 2   Hazards Not Otherwise Classified (HNOC)   May be harmful if swallowed	Appearance	Clear liquid	Physical S	tate Liquid	Odor	No scent No fragrance added
Hazards Not Otherwise Classified (HNOC) May be harmful if swallowed	Per 29 CFR 1	1910.1200, this product h	as received further evaluat	tion from the manufacture	r. The test	results provided are reflected
May be harmful if swallowed	Serious eye o	damage/eye irritation			Category	/ 2
		ful if swallowed	HNOC)			

**Hazard Statements** Causes serious eye irritation

Warning



#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

#### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Other Hazards

Harmful to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethylene glycol monophenyl ether	122-99-6	<10
Benzyl alcohol	100-51-6	<10
Monoethanolamine	141-43-5	7.5
Octanoic Acid	124-07-2	<5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES **First Aid Measures Eve Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation persists. Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a physician. Inhalation Remove to fresh air. Ingestion Drink 2-3 large glasses of water. Do not induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person. Most important symptoms and effects Contact will cause irritation and redness to exposed areas. May cause redness, pain, and Symptoms severe skin burns. Ingestion may cause nausea and headache. Can cause defatting of skin tissue. Indication of any immediate medical attention and special treatment needed Notes to Physician Treat symptomatically. Dermatitis or other pre-existing skin conditions may be aggravated by overexposure to this product.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media Not determined.

## Specific Hazards Arising from the Chemical

Combustion products may be toxic.

Hazardous Combustion Products Carbon oxides. Oxides of sulfur. Nitrogen oxides (NOx).

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection recommended in Section 8.	
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.	

## Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Clean-Up	Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.	

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling.

#### Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Store at room<br/>temperature. Keep container closed when not in use. Store away from incompatible<br/>materials. Store on low shelves.Packaging MaterialsRinse container before discarding.Incompatible MaterialsChlorine bleach. Acids.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Monoethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m <sup>3</sup> (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m <sup>3</sup>	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m <sup>3</sup> STEL: 6 ppm
		(vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>

## Appropriate engineering controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.
----------------------	---

## Individual protection measures, such as personal protective equipment

Eye/Face Protection	Splash goggles or safety glasses.		
Skin and Body Protection	Wear suitable protective clothing.		
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.		
General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands			

thoroughly after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical State	Liquid		
Appearance	Clear liquid	Odor	No scent No fragrance added
Color	Not determined	Odor Threshold	Not determined
Property	Values	Remarks • Method	
pH	10.5 ± 0.2 (conc)		
	10.1 ± 0.2 (1:4 dilution)		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	100 °C / 212 °F		
Flash Point	None		
Evaporation Rate	1.0	(Water = 1)	
Flammability (Solid, Gas)	Liquid-Not applicable		
Upper Flammability Limits	Not applicable		
Lower Flammability Limit	Not applicable		
Vapor Pressure	Not determined		
Vapor Density	Not determined		
Specific Gravity	1.02		
Water Solubility	Infinite		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

## **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### Chemical Stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Hazardous Polymerization Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Keep separated from incompatible substances. Keep out of reach of children.

#### **Incompatible Materials**

Chlorine bleach. Acids.

#### Hazardous Decomposition Products

Oxides of sulfur. Carbon oxides. Nitrogen oxides (NOx).

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Avoid contact with skin.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not ingest.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 8.8 mg/L (Rat)4 h
Ethylene glycol monophenyl ether 122-99-6	= 1260 mg/kg (Rat)	= 5 mL/kg (Rabbit)= 14422 mg/kg (Rat)	-
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1025 mg/kg (Rabbit)	-
Octanoic Acid 124-07-2	= 10080 mg/kg (Rat)	> 5 g/kg (Rabbit)	-

## Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

# Numerical measures of toxicity

Not determined

# **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

## Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Benzyl alcohol	35: 3 h Anabaena variabilis	460: 96 h Pimephales	EC50 = 50 mg/L 5 min	23: 48 h water flea mg/L
100-51-6	mg/L EC50	promelas mg/L LC50 static	EC50 = 63.7 mg/L 15 min	EC50
		10: 96 h Lepomis	EC50 = 63.7 mg/L 5 min	
		macrochirus mg/L LC50	EC50 = 71.4 mg/L 30 min	
		static		
Ethylene glycol monophenyl	500: 72 h Desmodesmus	337 - 352: 96 h Pimephales	EC50 = 32.4 mg/L 5 min	500: 48 h Daphnia magna
ether	subspicatus mg/L EC50	promelas mg/L LC50	EC50 = 880 mg/L 17 h	mg/L EC50
122-99-6		flow-through 366: 96 h		
		Pimephales promelas mg/L		
		LC50 static 220 - 460: 96 h		
		Leuciscus idus mg/L LC50		
		static		
Monoethanolamine	15: 72 h Desmodesmus	227: 96 h Pimephales		65: 48 h Daphnia magna
141-43-5	subspicatus mg/L EC50	promelas mg/L LC50		mg/L EC50
		flow-through 3684: 96 h		
		Brachydanio rerio mg/L		
		LC50 static 300 - 1000: 96 h		
		Lepomis macrochirus mg/L		
		LC50 static 114 - 196: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 static 200: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 flow-through		
Octanoic Acid		310: 96 h Oryzias latipes		170: 24 h Daphnia magna
124-07-2		mg/L LC50 semi-static 110:		mg/L EC50
		96 h Brachydanio rerio mg/L		-
		LC50 semi-static		

## Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

## <u>Mobility</u>

Chemical Name	Partition Coefficient
Ethylene glycol monophenyl ether	1.13
122-99-6	
Benzyl alcohol	1.1
100-51-6	
Monoethanolamine	-1.91
141-43-5	
Octanoic Acid	2.92
124-07-2	

# Other Adverse Effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.					
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.					
14. TRANSPORT INFORMATION						
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.					
DOT	Not regulated					
IATA	Not regulated					
IMDG	Not regulated					

## 15. REGULATORY INFORMATION

#### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Ethylene glycol monophenyl ether	Present	Х		Present		Present	Х	Present	Х	Х
Benzyl alcohol	Present	Х		Present		Present	Х	Present	Х	Х
Monoethanolamine	Present	Х		Present		Present	Х	Present	Х	Х
Octanoic Acid	Present	Х		Present		Present	Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

## <u>SARA 313</u>

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene glycol monophenyl ether - 122-99-6	122-99-6	10	1.0

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol 100-51-6		X	Х
Ethylene glycol monophenyl ether 122-99-6	Х		Х
Monoethanolamine 141-43-5	Х	X	Х

## **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards 2	Flammability Not determined Flammability 0	<b>Instability</b> Not determined <b>Physical Hazards</b> 0	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date:	27-Dec- 26-Nov-			

New format

**Disclaimer** 

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**