

MATERIAL SAFETY DATA SHEET

8/4/99

MANUFACTURER: ZOTOS INTERNATIONAL, INC.
ADDRESS: 100 TOKENEKE ROAD
DARIEN, CT 06820
PHONE: (203) 656-7821
MONDAY THRU FRIDAY (8:30 a.m. - 5:00 p.m. EST)

SECTION I. MATERIAL IDENTIFICATION

A. MATERIAL TYPE: Iso-Daniel Galvin Zero Lift Developer

SECTION II. INGREDIENTS

Water (Aqua)	Cetearyl Alcohol
Hydrogen Peroxide	Ceteth-20
Mineral Oil (Paraffinum Liquidum)	Disodium EDTA
Sodium Lauryl Sulfate	Dimethicone
Tallowtrimonium Chloride	C11-15 Pareth-9
Methylparaben	Disodium Phosphate
Sodium Stannate	Phosphoric Acid

SECTION III. PHYSICAL DATA (APPEARANCE)

A. PRESSURIZED CONTAINER: Yes No

B. TYPE CONTAINER(S): PLASTIC BOTTLE GLASS BOTTLE
BOX METAL CAN OTHER: _____

C. DESCRIPTION: CLEAR LIQUID LIQUID EMULSION FRAGRANCED
CLOUDY LIQUID CREAM OTHER: Smooth white cream

ODOR: _____

- D. EXTINGUISHING MEDIA: WATER X ABC ALL PURPOSE EXTINGUISHER X
CO₂ X OTHER: _____
- E. SPECIAL FIRE FIGHTING PROCEDURES: None
- F. EXPLOSIVE: YES ___ NO X

SECTION V. REACTIVITY DATA

- A. STABLE: YES X NO ___
- B. HAZARDOUS DECOMPOSITION PRODUCTS: AMMONIA, HYDROGEN SULFIDE, SULFIDES
- C. INCOMPATIBLE WITH: METALS, OXIDIZING MATERIALS.
- D. SPECIAL CONDITIONS TO AVOID: METAL BOWLS AND STIRRERS, BLEACHES, HOUSEHOLD DISINFECTANTS
- E. CORROSIVE: YES ___ NO X

SECTION VI. HEALTH HAZARDS INFORMATION

- A. ACCIDENTAL INGESTIONS: MODERATELY TOXIC (LD₅₀ > 1 gm/Kg)
- Call physician or Poison Control Center immediately.
- B. EFFECTS OF EXPOSURE: Rarely presents a problem when used according to directions. This product is safe for its intended use. Like all consumer products, a very small number of individuals may have reactions such as redness, rash and/or swelling.

See instructions accompanying product X

- C. FIRST AID: If reaction to product does not subside quickly (in a few minutes) consult physician or emergency room immediately.
- EYE CONTACT: Flush with copious amounts of water immediately. If reaction persists, consult physician or eye doctor or emergency room immediately.
- SKIN CONTACT: Flush with water. In the unlikely event a skin reaction such as rashes or swelling should occur, consult a dermatologist or other physician.
- RESPIRATORY: Reaction not expected. If unusual symptoms develop, discontinue exposure and consult physician or emergency room immediately.

SECTION VII. SPILL, LEAK, AND DISPOSAL PROCEDURES

SPILLS, LEAKS: Small spills-Flush with water.
Large spills-Should be collected in suitable container.

DISPOSAL: Disposal should be in accordance with all applicable local, state and federal regulations.