

Material Safety Data Sheet

Revision Date 08-Mar-2011

CHEMICAL PRODUCT AND COMPANY 1. **INFORMATION**

Product code Product name **Recommended Use** P91495 Corro-Clean Cleaner

Supplier

Lawson Products, Inc.

1666 East Touhy Avenue Des Plaines, IL 60018 (847)-827-9666

Emergency telephone number

(888) 426-4851

2. HAZARDS IDENTIFICATION

Emergency Overview Vapors extremely irritating to eyes and respiratory tract. Vapors may cause flash fire or explosion.

Aggravated Medical Conditions

None Known

Principal Routes of Exposure

Skin contact. Skin absorption. Inhalation. Eyes.

Potential health effects

Eyes	Exposure to vapors may cause the following effects:. Irritation. Reddening. Burning sensation.
Skin	Repeated or prolonged exposure may cause:. Skin Irritation. Redness. Itching. Burning sensation.
Inhalation	Exposure to vapors may cause the following effects. Irritating to respiratory system. Headaches. Dizziness. Nausea. Loss of coordination. Extreme overexposure may cause. Central nervous system depression. Possible unconsciousness. Misuse by deliberately concentrating vapors and inhaling contents can be harmful or fatal.
Ingestion	Not likely to occur.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Propane	74-98-6	1-5
Butane	106-97-8	5-10

Eye contact	Flush with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.			
Skin contact	Flush skin with water. Remove and wash contaminated clothing before re-use. Seek medical attention immediately.			
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.			
Inhalation	Remove to fresh air. Restore breathing. Keep warm and quiet.			

4 FIRST AID MEASURES

5. FIRE FIGHTING MEASURES

Flash point °C	< -17.78
Flash point °F	< 0
Method	No information available
Autoignition temperature °C	No data available
Autoignition temperature °F	No data available
Flammability Limits (% in Air) Upper Lower	9.5 1.9

Suitable extinguishing media

Carbon dioxide (CO2). Dry chemical. Alcohol foam.

Special protective equipment for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Fire and Explosion Hazards

Containers may vent or burst under extreme or prolonged fire conditions. Flash back possible over considerable distance. Water spray may be ineffective. If water is used, fog nozzles are preferable. Water should be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to extreme heat . During emergency conditions, overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Obtain medical attention.

Sensitivity to shock

No information available.

Sensitivity to static discharge

No information available.

6. ACCIDENTAL RELEASE MEASURES

Methods for cleaning up

Eliminate all sources of ignition. Ventilate area to maintain exposure below permissible exposure limits. Soak up with inert absorbent material. Dispose of absorbent in accordance with local, state and federal regulations.

7. HANDLING AND STORAGE

Handling

Keep away from open flames, hot surfaces and sources of ignition. Vapors may accumulate readily and may ignite explosively. Ensure adequate ventilation. Do not smoke. Turn off other sources of ignition prior to use and until all vapors have dissipated. Do not puncture or incinerate. Do not take internally. Keep out of reach of children. Check to make sure that all equipment is properly grounded and installed to satisfy electrical classification requirements. Standard safety precautions should be observed when handling this material.

Storage

Containers exposed to extreme heat may burst. Keep away from heat and sources of ignition. Store in temperatures below 120 degrees F.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	OSHA PEL (TWA)	OSHA PEL (Ceiling)	ACGIH OEL (TWA)	ACGIH OEL (STEL)
Butane	800 ppm	-	1000 ppm	-
Propane	1000 ppm 1800 mg/m ³	-	1000 ppm	-

Ventilation and Environmental Controls

Use enough ventilation, local exhaust at the work area, general, or both, to keep below the TLV's in the worker's breathing zone and the general area. Use in a well ventilated area.

Hygiene measures

Wash hands before eating or using the washroom. Remove and wash contaminated clothing before re-use. Avoid contact with skin, eyes and clothing.

Respiratory protection

Wear a respirator or gas mask with appropriate NIOSH approved cartridge or canister, or supplied air equipment, if airborne concentration limits are exceeded. Protection provided by air purifying respirators is limited. Use a positive pressure supplied air respirator. if there is any potential for an uncontrolled release. where exposure levels are not known. or other circumstances where an air purifying respirator (P100) may not provide adequate protection.

Hand Protection

Chemical resistant gloves. For prolonged or repeated skin contact, use a chemically resistant glove such as nitrile or neoprene. Wash hands with soap and water after removing gloves. Dry hands thoroughly before reapplying gloves.

Eye protection

Use safety eyewear designed to protect against impact.

Skin and body protection

Wear appropriate clothing to minimize skin contact. Rubber or plastic boots.

9. Pl	HYSICAL AND	CHEMICAL	PROPERTIES
-------	-------------	----------	------------

Form Color Odor **Odor Threshold** pН **Specific Gravity** Vapor pressure Vapor density **Evaporation Rate** Water solubility **VOC Content Partition Coefficient** (n-octanol/water) Boiling point/range °C Boiling point/range °F Melting point/range °C Melting point/range °F Flash point °C Flash point °F

Aerosol Colorless Amine-like No information available 7.0 0.96 No data available >Air >1 (Ether =1) No data available 9.86%; 7.94 lb/gal; 951 g/l No data available

< -18 - 100 < 0 - 213 No data available No data available < -17.78 < 0

10. STABILITY AND REACTIVITY

Stability

Stable under recommended storage conditions.

Conditions to avoid None known.

Incompatability

None known.

Hazardous Decomposition Products Carbon dioxide. Carbon monoxide.

Polymerization

Will not occur.

11. TOXICOLOGICAL INFORMATION

Component Information

Chemical Name		LD50 (dermal,rat/rabbi t)	LC50 (inhalation,rat)
Butane 106-97-8	-	-	658 mg/L
Propane 74-98-6	-	-	658 mg/L

None known

Synergistic Products

Potential health effects

Sensitization	None known
Chronic toxicity	See Section 2.
Mutagenic effects	None known
Teratogenic effects	None known
Reproductive toxicity	None known
Target Organ Effects	May cause damage to lungs. May cause damage to kidneys. May cause damage to kidneys. May cause damage to liver.

Carcinogenic effects

See table below

Chemical Name	ACGIH OEL - Carcinoge ns	IARC	Carcinoge	NTP - Suspected Human Carcinoge ns	Carcinoge
Butane	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Propane	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

Disposal Information

As supplied, this product is a RCRA Hazardous Waste . Waste must be tested for ignitability to determine EPA hazardous waste numbers. Do not puncture or incinerate. Dispose in accordance with federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

DOT

UN1950 Aerosols, flammable, 2.1 *Exception:* (Compressed Gas not more than 1.0L) Consumer Commodity ORM-D

TDG

Consumer commodity <1L

15. REGULATORY INFORMATION

US EPA SARA 313

State Regulations

Chemical Name	New Jersey - RTK	Pennsylvania - RTK	California Prop. 65
Butane	Listed	Listed	Not Listed
Propane	Listed	Listed	Not Listed

International Inventories

Chemical Name	EINECS	DSL	NDSL	TSCA
Butane	Х	Х	-	Х
Propane	Х	Х	-	Х

CPR

This product has been classified in accordance with the hazard criteria of the Controlled Product Regulations and the MSDS contains all of the information required by the Controlled Product Regulations

16. OTHER INFORMATION

HMIS

Health - 1 Flammability - 2 Physical Hazard - 0

Prepared By

H. Buck, Regulatory Affairs Manager

The information accumulated herein is believed to be accurate, but is not warranted to be, whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.