

Material Safety Data Sheet

24 HOUR EMERGENCY NUMBER: INFOTRAC@ 800.535.5053

Code: MLO2MSDS

Mötsenböcker's Lift Off® Sticky, Oily, Greasy Tape Remover

P.O. B	nböcker's Lift Off, Inc. ox 90947 iego, CA 92169	Product InformationFax: 858.483.6965Toll Free: 800.346.1633Website: www.liftoffinc.comPhone: 858.581.0222Date: January 01, 2012			
1.0	Product Information				
1.1	Product Name	Mötsenböcker's Lift Off® Sticky, Oily, Greasy Tape Remover (non–aerosol) HEALTH 2			
1.2	Product Type	Adhesives, Grease, Oily Stains, and Tape Remover FLAMMABILTY 1			
1.3	Hazard Rating	Health 2 Fire 1 Physical Hazard 0 PHYSICAL HAZARD 0			
2.0	Hazardous Components	ACGIH/TV OSHA/PEL UNITS			
2.1	Trade secret	1000 1000 PPM Flammability			
2.2	Trade secret	Health 2 0 Reactivity			
2.3	The identity of the component(s) responsible for the penetrating properties of this product is considered to be a trade secret. This product also contains trade secret ingredients.				
2.4		CHEMICALS are not present.			
2.5	NJTSRN #407-01, 407-0	2, 407-03, 407-16, 407-45, 408-01, 408-55, 415-01, 421-01			
3.0	Physical Data				
3.1	Appeareance	Clear liquid, pungent odor			
3.2	Solubility in Water	partial			
3.3	100% pH	Does not apply. Use solution pH: n/a			
3.4	Initial Boiling Point	160-36- degrees Fajrenheit (71-182 degrees Celcius)			
3.5	Specific Gravity	.95			
3.6	Vapor Density	Heavier than air			
3.7	VOC Weight %	0.7% (meets or exceeds all VOC regulations)			
3.8	g/l	7.2			
4.0	Fire and Explosion Data				
4.1	Special Fire Hazards	High temperatures may generate hazardous decomposition products including hydrogen chloride or phosgene.			
4.2	Flash Point	> 201° F (> 93.9° C) Pensky-Martens Closed Cup			
5.0	Reactivity Data				
5.1	Stability	Stable under normal conditions of handling.			
5.2	Conditions to Avoid	Store in a cool, dry place.			
6.0	Spill or Leak Procedures	(Use Proper Protective Equipment)			
6.1	Clean Up	Ventilate, use inert absorbent.			
6.2	Waste Disposal	Consult state/local authorities for limits on disposal of chemical wastes. Do not put into sewer.			
7.0	Health Hazard Data	CAUTION			
7.1	Effects of Overexposure	to Concentrate			
	Skin	Contact with product can dry and defat skin, causing irritation or dermatitis			
	Eyes	Causes eye irritation.			
	IF SWALLOWED	May cause stomach distress.			
	If Inhaled	Prolonged exposure to vapors may cause dizziness, loss of coordination and increased reaction time.			



8.0	First Aid	
8.1	Eyes	Flush immediately with plenty of cool running water. Remove contact lenses. Continue flushing for 15 minutes.
8.2	Skin	Flush skin with plenty of cool running water. Wash thoroughly with soap and water. Wash contaminated clothing well before re-use.
8.3	IF SWALLOWED	Rinse mouth then drink 1 or 2 large glasses of water. DO NOT induce vomitting. Never give anything by mouth to an unconscious person.
If irritation or discomfort persists, call a physician.		
9.0	Protective Measures	

9.1 Respiratory Ventilate	e to maintain exposure below limits.

9.2 When using this product, wear rubber gloves and eye protection such as splash proof glasses.

10.0 Additional Information/Precautions	
---	--

- 10.1 DOT Class Not Regulated
- 10.2 Purpose of March 15, 2001 issue: Change in formulation, VOC compliant, EPA New Standards. California effective date January 01, 2001.
- 10.3 Replaces previiously dated March 11, 2009.

KEEP OUT OF REACH OF CHILDREN AND PETS

The above information is believed to be correct with respect to the formula used to manufacture the product. As data, standards and regulations change, and the conditions of use and handling are beyond out control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.