



Close this window

SDS

**Common Name:** GAS LEAK LOCATOR

**Manufacturer:** PARKER HANNIFIN

**SDS Revision Date:** 11/25/2014

**SDS Format:** GHS-US

**Grainger Item Number(s):** 4E845

**Manufacturer Model Number(s):**

## SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

[SECTION 1. IDENTIFICATION](#)

[SECTION 2. HAZARDS IDENTIFICATION](#)

[SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS](#)

[SECTION 4. FIRST-AID MEASURES](#)

[SECTION 5. FIRE-FIGHTING MEASURES](#)

[SECTION 6. ACCIDENTAL RELEASE MEASURES](#)

[SECTION 7. HANDLING AND STORAGE](#)

[SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION](#)

[SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES](#)

[SECTION 10. STABILITY AND REACTIVITY](#)

[SECTION 11. TOXICOLOGICAL INFORMATION](#)

[SECTION 12. ECOLOGICAL INFORMATION](#)

[SECTION 13. DISPOSAL CONSIDERATIONS](#)

[SECTION 14. TRANSPORTATION INFORMATION](#)

[SECTION 15. REGULATORY INFORMATION](#)

[SECTION 16. OTHER INFORMATION](#)

PARKER

PARKER HANNIFIN CORPORATION

SPORLAN DIVISION

206 LANGE DRIVE

WASHINGTON, MO 63090

USA

GAS LEAK LOCATOR

SDS PREPARATION DATE (MM/DD/YYYY): 11/25/2014

PRODUCT CODE(S): GL 6(475053)

SAFETY DATA SHEET

## SECTION 1. IDENTIFICATION



PRODUCT IDENTIFIER USED ON THE LABEL: GAS LEAK LOCATOR

PRODUCT CODE(S): GL 6 (475053)

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE: LEAK LOCATOR

CHEMICAL FAMILY: MIXTURE

NAME, ADDRESS, AND TELEPHONE NUMBER OF THE CHEMICAL MANUFACTURER, IMPORTER,  
OR OTHER RESPONSIBLE PARTY:

PARKER HANNIFIN CORPORATION - SPORLAN DIVISION  
206 LANGE DRIVE  
WASHINGTON, MO, 63090  
U.S.A.

INFORMATION TELEPHONE #: (636) 239 1111

24 HR. EMERGENCY TEL #:

CHEMTREC: 1-800-424-9300 (WITHIN CONTINENTAL U.S.)

CHEMTREC: 703-527-3887 (OUTSIDE U.S.).

## SECTION 2. HAZARDS IDENTIFICATION



CLASSIFICATION OF THE CHEMICAL: OPAQUE LIQUID. BLAND ODOR.

MOST IMPORTANT HAZARDS:

THIS MATERIAL IS CLASSIFIED AS HAZARDOUS UNDER OSHA REGULATIONS  
(29CFR 1910.1200) (HAZCOM 2012).

OSHA CLASSIFICATION: CARCINOGENICITY - CATEGORY 2

LABEL ELEMENTS:

SIGNAL WORD:

WARNING!

HAZARD STATEMENT(S): SUSPECTED OF CAUSING CANCER.

PRECAUTIONARY STATEMENT(S):

OBTAIN SPECIAL INSTRUCTIONS BEFORE USE. DO NOT HANDLE UNTIL ALL SAFETY  
PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.

WEAR PROTECTIVE GLOVES/CLOTHING AND EYE/FACE PROTECTION.

IF EXPOSED OR CONCERNED: GET MEDICAL ATTENTION/ADVICE.

STORE LOCKED UP.

DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL REGULATION.

HEALTH HAZARD

OTHER HAZARDS:

OTHER HAZARDS WHICH DO NOT RESULT IN CLASSIFICATION:

BURNING PRODUCES OBNOXIOUS AND TOXIC FUMES. MAY BE MILDLY IRRITATING TO  
SKIN, EYES AND RESPIRATORY SYSTEM. MAY CAUSE AN ALLERGIC SKIN REACTION  
(E.G. HIVES, RASH) IN SOME HYPERSENSITIVE INDIVIDUALS.

ENVIRONMENTAL PRECAUTIONS:

AVOID RELEASE TO THE ENVIRONMENT. SEE ECOLOGICAL INFORMATION, SECTION 12.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



CHEMICAL NAME	CAS #	CONCENTRATION
---------------	-------	---------------

GLYCERIN	56-81-5	80.0 - 100.0
SODIUM LAURYL ETHER SULFATE	9004-82-4	0.5 - 1.5
COCONUT DIETHANOLAMIDE	68603-42-9	0.1 - 1.0
ETHANOL	64-17-5	0.1 - 1.0

THE EXACT CONCENTRATIONS OF THE ABOVE LISTED CHEMICALS ARE BEING WITHHELD AS A TRADE SECRET.

#### SECTION 4. FIRST-AID MEASURES



##### DESCRIPTION OF FIRST AID MEASURES:

###### INGESTION:

IF INGESTED, DO NOT INDUCE VOMITING. HAVE VICTIM RINSE MOUTH WITH WATER, THEN GIVE ONE TO TWO GLASSES OF WATER TO DRINK. GET MEDICAL ADVICE/ATTENTION.

###### INHALATION:

IMMEDIATELY REMOVE PERSON TO FRESH AIR. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN BY QUALIFIED MEDICAL PERSONNEL ONLY. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS AND PERSISTS.

###### SKIN CONTACT:

WASH WITH WATER AND SOAP AS A PRECAUTION. OBTAIN MEDICAL ATTENTION IF SYMPTOMS DEVELOP AND PERSIST.

###### EYE CONTACT:

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION IF SYMPTOMS DEVELOP AND PERSIST.

###### MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

CONTAINS SUBSTANCES THAT MAY CAUSE CANCER. MAY BE MILDLY IRRITATING TO SKIN, EYES AND RESPIRATORY SYSTEM. MAY CAUSE AN ALLERGIC SKIN REACTION (E.G. HIVES, RASH) IN SOME HYPERSENSITIVE INDIVIDUALS.

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: TREAT SYMPTOMATICALLY.

#### SECTION 5. FIRE-FIGHTING MEASURES



##### EXTINGUISHING MEDIA:

###### SUITABLE EXTINGUISHING MEDIA:

USE MEDIA SUITABLE TO THE SURROUNDING FIRE SUCH AS WATER FOG OR FINE SPRAY, ALCOHOL FOAMS, CARBON DIOXIDE AND DRY CHEMICAL.

###### UNSUITABLE EXTINGUISHING MEDIA:

DO NOT USE WATER JET, AS THIS MAY SPREAD BURNING MATERIAL.

###### SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

NOT FLAMMABLE UNDER NORMAL CONDITIONS OF USE. HOWEVER, MAY IGNITE IF EXPOSED TO EXTREME HEAT AND FLAME. VAPOURS MAY BE HEAVIER THAN AIR AND MAY COLLECT IN CONFINED AND LOW-LYING AREAS.

FLAMMABILITY CLASSIFICATION (OSHA 29 CFR 1910.106): NON-FLAMMABLE.

HAZARDOUS COMBUSTION PRODUCTS:

TOXIC FUMES, GASES OR VAPOURS MAY EVOLVE ON BURNING.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:

PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS:

FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACE PIECE OPERATED IN POSITIVE PRESSURE MODE.

SPECIAL FIRE-FIGHTING PROCEDURES:

MOVE CONTAINERS FROM FIRE AREA IF SAFE TO DO SO. WATER SPRAY MAY BE USEFUL IN COOLING EQUIPMENT EXPOSED TO HEAT AND FLAME.

## SECTION 6. ACCIDENTAL RELEASE MEASURES



PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

ALL PERSONS DEALING WITH CLEAN-UP SHOULD WEAR THE APPROPRIATE PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS. RESTRICT ACCESS TO AREA UNTIL COMPLETION OF CLEAN-UP. KEEP ALL OTHER PERSONNEL UPWIND AND AWAY FROM THE SPILL/RELEASE.

ENVIRONMENTAL PRECAUTIONS:

ENSURE SPILLED PRODUCT DOES NOT ENTER DRAINS, SEWERS, WATERWAYS, OR CONFINED SPACES.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

VENTILATE AREA OF RELEASE. CONTAIN SPILLAGE, AND THEN COLLECT WITH NON-COMBUSTIBLE ABSORBENT MATERIAL, (E.G. SAND, EARTH, DIATOMACEOUS EARTH, VERMICULITE) AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL / NATIONAL REGULATIONS (SEE SECTION 13). NOTIFY THE APPROPRIATE AUTHORITIES AS REQUIRED.

SPECIAL SPILL RESPONSE PROCEDURES:

IF A SPILL/RELEASE IN EXCESS OF THE EPA REPORTABLE QUANTITY IS MADE INTO THE ENVIRONMENT, IMMEDIATELY NOTIFY THE NATIONAL RESPONSE CENTER IN THE UNITED STATES (PHONE: 1-800-424-8802).

US CERCLA REPORTABLE QUANTITY (RQ): NONE REPORTED.

## SECTION 7. HANDLING AND STORAGE



PRECAUTIONS FOR SAFE HANDLING:

USE ONLY IN WELL-VENTILATED AREAS. DO NOT INGEST. AVOID BREATHING VAPORS OR MISTS. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. AVOID CONTACT WITH INCOMPATIBLE MATERIALS. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. WASH THOROUGHLY AFTER HANDLING.

CONDITIONS FOR SAFE STORAGE:

STORE IN A COOL, DRY, WELL VENTILATED AREA, AWAY FROM HEAT AND IGNITION SOURCES. STORE AWAY FROM INCOMPATIBLES AND OUT OF DIRECT SUNLIGHT. NO SMOKING IN THE AREA. INSPECT PERIODICALLY FOR DAMAGE OR LEAKS.

INCOMPATIBLE MATERIALS:

HYDROGEN PEROXIDE; ALKALI METALS; STRONG OXIDIZING AGENTS; ACIDS.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION



EXPOSURE LIMITS:

CHEMICAL NAME	ACGIH TLV	OSHA PEL
---------------	-----------	----------

	TWA	STEL	PEL	STEL
GLYCERIN	10 MG/M3 (MIST)	N/AV	15 MG/M3 (MIST, TOTAL PARTICULATE) 5 MG/M3 (MIST, RESPIRABLE FRACTION)	N/AV
SODIUM LAURYL ETHER SULFATE	N/AV	N/AV	N/AV	N/AV
COCONUT DIETHANOLAMIDE	N/AV	N/AV	N/AV	N/AV
ETHANOL	N/AV	1000 PPM	1000 PPM 1900 MG/M3	N/AV

**EXPOSURE CONTROLS:****VENTILATION AND ENGINEERING MEASURES:**

DO NOT USE IN CLOSED OR CONFINED SPACE. USE GENERAL OR LOCAL EXHAUST VENTILATION TO MAINTAIN AIR CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS.

**RESPIRATORY PROTECTION:**

NOT REQUIRED UNDER NORMAL CONDITIONS OF HANDLING. RESPIRATORY PROTECTION IS REQUIRED IF THE CONCENTRATIONS EXCEED THE TLV. IF RESPIRATORY PROTECTION IS WARRANTED, WEAR NIOSH-APPROVED RESPIRATORS. ADVICE SHOULD BE SOUGHT FROM RESPIRATORY PROTECTION SPECIALISTS.

**SKIN PROTECTION:**

IMPERVIOUS GLOVES MUST BE WORN WHEN USING THIS PRODUCT. ADVICE SHOULD BE SOUGHT FROM GLOVE SUPPLIERS.

**EYE / FACE PROTECTION:**

SAFETY GOGGLES OR GLASSES AS APPROPRIATE FOR THE JOB.

**OTHER PROTECTIVE EQUIPMENT:**

AN EYEWASH STATION AND SAFETY SHOWER SHOULD BE MADE AVAILABLE IN THE IMMEDIATE WORKING AREA. DEPENDING ON CONDITIONS OF USE, AN IMPERVIOUS APRON SHOULD BE WORN. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE.

**GENERAL HYGIENE CONSIDERATIONS:**

AVOID CONTACT WITH SKIN, EYES AND CLOTHING. AVOID BREATHING MIST OR VAPOURS. DO NOT EAT, DRINK, SMOKE OR USE COSMETICS WHILE WORKING WITH THIS PRODUCT. UPON COMPLETION OF WORK, WASH HANDS BEFORE EATING, DRINKING, SMOKING OR USE OF TOILET FACILITIES. REMOVE SOILED CLOTHING AND WASH IT THOROUGHLY BEFORE REUSE.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE: OPAQUE LIQUID.

ODOUR: BLAND ODOUR.

ODOUR THRESHOLD: N/AV

PH: 8.0

MELTING/FREEZING POINT: N/AV

INITIAL BOILING POINT AND BOILING RANGE: 100 DEG. C (212 DEG. F)

FLASH POINT: >100 DEG. C (>212 DEG. F)

FLASHPOINT (METHOD): SETAFLASH CLOSED TESTER

EVAPORATION RATE (BUAE = 1): >1 (WATER = 1)

FLAMMABILITY (SOLID, GAS): N/AP

LOWER FLAMMABLE LIMIT (% BY VOL.): N/AV

UPPER FLAMMABLE LIMIT (% BY VOL.): N/AV

OXIDIZING PROPERTIES: NONE KNOWN.

EXPLOSIVE PROPERTIES: N/AP

VAPOUR PRESSURE: 23.8 MMHg @ 25 DEG. C

VAPOUR DENSITY: >1 (AIR = 1.0)

RELATIVE DENSITY: 1

SOLUBILITY IN WATER: MISCIBLE

OTHER SOLUBILITY(IES): N/AV

PARTITION COEFFICIENT N-OCTANOL/WATER: N/AV

AUTO-IGNITION TEMPERATURE: N/AV

DECOMPOSITION TEMPERATURE: N/AV

VISCOSITY: <5 CPS

VOLATILES (% BY WEIGHT): 2%

VOLATILE ORGANIC COMPOUNDS (VOC'S): N/AV

ABSOLUTE PRESSURE OF CONTAINER: N/AP

FLAME PROJECTION LENGTH: N/AP

OTHER PHYSICAL/CHEMICAL COMMENTS: NO ADDITIONAL INFORMATION.

## SECTION 10. STABILITY AND REACTIVITY



REACTIVITY: NOT NORMALLY REACTIVE.

CHEMICAL STABILITY:

STABLE UNDER THE RECOMMENDED STORAGE AND HANDLING CONDITIONS PRESCRIBED.

POSSIBILITY OF HAZARDOUS REACTIONS:

HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

CONDITIONS TO AVOID:

KEEP OUT OF DIRECT SUNLIGHT. KEEP AWAY FROM EXCESSIVE HEAT, OPEN FLAMES, SPARKS AND OTHER POSSIBLE SOURCES OF IGNITION. DO NOT USE IN AREAS WITHOUT ADEQUATE VENTILATION.

INCOMPATIBLE MATERIALS:

HYDROGEN PEROXIDE; ALKALI METALS; STRONG OXIDIZING AGENTS; ACIDS.

HAZARDOUS DECOMPOSITION PRODUCTS:

NONE KNOWN, REFER TO HAZARDOUS COMBUSTION PRODUCTS IN SECTION 5.

## SECTION 11. TOXICOLOGICAL INFORMATION



## INFORMATION ON LIKELY ROUTES OF EXPOSURE:

ROUTES OF ENTRY INHALATION: YES  
ROUTES OF ENTRY SKIN & EYE: YES  
ROUTES OF ENTRY INGESTION: YES  
ROUTES OF EXPOSURE SKIN ABSORPTION: NO

## POTENTIAL HEALTH EFFECTS:

## SIGNS AND SYMPTOMS OF SHORT-TERM (ACUTE) EXPOSURE:

## SIGN AND SYMPTOMS INHALATION:

HIGH CONCENTRATIONS OF VAPORS OR MISTS MAY CAUSE COUGHING AND MILD, TEMPORARY IRRITATION.

## SIGN AND SYMPTOMS INGESTION:

INGESTION MAY CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA.

SIGN AND SYMPTOMS SKIN: MAY CAUSE MILD SKIN IRRITATION.

SIGN AND SYMPTOMS EYES: MAY CAUSE MILD IRRITATION, REDNESS AND WATERING.

## POTENTIAL CHRONIC HEALTH EFFECTS:

PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE DEFATTING AND DRYING RESULTING IN IRRITATION AND POSSIBLE DERMATITIS.

## MUTAGENICITY:

THIS PRODUCT DOES NOT MEET THE CRITERIA FOR GERM CELL MUTAGENS UNDER OSHA REGULATIONS (29 CFR 1910.1200) (HAZCOM 2012). ETHANOL HAS BEEN SHOWN TO CAUSE MUTAGENIC EFFECTS BUT AT EXTREMELY HIGH ORAL DOSES, WHICH ARE NOT APPLICABLE IN AN OCCUPATIONAL SETTING.

## CARCINOGENICITY:

THIS MATERIAL IS CLASSIFIED AS HAZARDOUS UNDER OSHA REGULATIONS (29CFR 1910.1200) (HAZCOM 2012).

OSHA CLASSIFICATION: CARCINOGENICITY - CATEGORY 2

## CONTAINS THE FOLLOWING CHEMICAL RATED AS GROUP 2B BY IARC:

COCO DIETHANOLAMIDE

## REPRODUCTIVE EFFECTS:

THIS MATERIAL IS NOT CLASSIFIED AS HAZARDOUS UNDER OSHA REGULATIONS (29 CFR 1910.1200) (HAZCOM 2012).

## SENSITIZATION TO MATERIAL:

THIS MATERIAL IS NOT CLASSIFIED AS HAZARDOUS UNDER OSHA REGULATIONS (29 CFR 1910.1200) (HAZCOM 2012). MAY CAUSE AN ALLERGIC SKIN REACTION (E.G. HIVES, RASH) IN SOME HYPERSENSITIVE INDIVIDUALS. NO DATA AVAILABLE TO INDICATE PRODUCT OR COMPONENTS MAY BE RESPIRATORY SENSITIZERS.

## SPECIFIC TARGET ORGAN EFFECTS:

THIS MATERIAL IS NOT CLASSIFIED AS HAZARDOUS UNDER OSHA REGULATIONS (29 CFR 1910.1200) (HAZCOM 2012).

## MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:

PRE-EXISTING SKIN, EYE AND RESPIRATORY DISORDERS.

## TOXICOLOGICAL DATA:

NO DATA IS AVAILABLE ON THE PRODUCT ITSELF. CONTAINS NO INGREDIENTS THAT ARE CONSIDERED TO HAVE ACUTE TOXICITY HAZARDS. SEE BELOW FOR INDIVIDUAL INGREDIENT ACUTE TOXICITY DATA.

CHEMICAL NAME	LC50 (4HR)	LD50
	INH, RAT	(ORAL, RAT) (RABBIT, DERMAL)

GLYCERIN	>2.75 MG/L (MIST)	27200 MG/KG	>18700 MG/KG
SODIUM LAURYL ETHER SULFATE	N/AV	>2000 MG/KG	4600 MG/KG
COCONUT DIETHANOLAMIDE	N/AV	>5000 MG/KG	>2000 MG/KG
ETHANOL	>32 380 PPM (>61 MG/L) (VAPOR)	7060 MG/KG	>15 800 MG/KG

OTHER IMPORTANT TOXICOLOGICAL HAZARDS: NONE KNOWN.

## SECTION 12. ECOLOGICAL INFORMATION



### ECOTOXICITY:

NO DATA IS AVAILABLE ON THE PRODUCT ITSELF. SEE THE FOLLOWING TABLES FOR INDIVIDUAL INGREDIENT ECOTOXICITY DATA.

### ECOTOXICITY DATA:

INGREDIENTS	CAS NO	TOXICITY TO FISH		
		LC50 / 96H	NOEC / 21 DAY	M FACTOR
GLYCERIN	56-81-5	51 - 57 MG/L (RAINBOW TROUT)	N/AV	NONE.
SODIUM LAURYL ETHER SULFATE	9004-82-4	N/AV	N/AV	N/AV
COCONUT DIETHANOLAMIDE	68603-42-9	3.6 MG/L (ZEBRA FISH)	N/AV	NONE.
ETHANOL	64-17-5	>100 MG/L (FATHEAD MINNOW)	N/AV	NONE.

INGREDIENTS	CAS NO	TOXICITY TO DAPHNIA		
		EC50 / 48H	NOEC / 21 DAY	M FACTOR
GLYCERIN	56-81-5	1851 - 3068 MG/L (WATER FLEA)	N/AV	NONE.
SODIUM LAURYL ETHER SULFATE	9004-82-4	N/AV	N/AV	N/AV
COCONUT DIETHANOLAMIDE	68603-42-9	2.39 MG/L (DAPHNIA MAGNA)	0.9 MG/L NOEC (DAPHNIA MAGNA)	NONE.
ETHANOL	64-17-5	5012 MG/L (DAPHNIA MAGNA)	N/AV	NONE.

INGREDIENTS	CAS NO	TOXICITY TO ALGAE		
		EC50 / 96H OR 72H	NOEC / 96H OR 72H	M FACTOR
GLYCERIN	56-81-5	77712 MG/L/96HR (GREEN ALGAE)	N/AV	NONE.
SODIUM LAURYL ETHER SULFATE	9004-82-4	N/AV	N/AV	N/AV
COCONUT DIETHANOLAMIDE	68603-42-9	2.2 MG/L (GREEN ALGAE)	N/AV	NONE.
ETHANOL	64-17-5	1000 MG/L/96HR	N/AV	NONE.



(GREEN ALGAE)

**PERSISTENCE AND DEGRADABILITY:**

NO DATA IS AVAILABLE ON THE PRODUCT ITSELF. ALL LISTED INGREDIENTS ARE CONSIDERED TO BE READILY BIODEGRADABLE.

**BIOACCUMULATION POTENTIAL:**

NO DATA IS AVAILABLE ON THE PRODUCT ITSELF. THE ACTIVE INGREDIENTS ARE NOT EXPECTED TO BIOACCUMULATE.

MOBILITY IN SOIL: NO DATA IS AVAILABLE ON THE PRODUCT ITSELF.

**OTHER ADVERSE ENVIRONMENTAL EFFECTS:**

NO DATA IS AVAILABLE ON THE PRODUCT ITSELF.

**SECTION 13. DISPOSAL CONSIDERATIONS****HANDLING FOR DISPOSAL:**

HANDLE WASTE ACCORDING TO RECOMMENDATIONS IN SECTION 7.

**METHODS OF DISPOSAL:**

IMPROPER DISPOSAL CAN CAUSE DAMAGE TO THE ENVIRONMENT. DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, PROVINCIAL AND LOCAL REGULATIONS. CONTACT YOUR LOCAL, STATE, PROVINCIAL OR FEDERAL ENVIRONMENTAL AGENCY FOR SPECIFIC RULES.

**RCRA:**

IT IS THE RESPONSIBILITY OF THE WASTE GENERATOR TO DETERMINE THE PROPER WASTE IDENTIFICATION AND DISPOSAL METHOD. FOR DISPOSAL OF UNUSED OR WASTE MATERIAL, CHECK WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL AGENCIES.

**SECTION 14. TRANSPORTATION INFORMATION**

REGULATORY INFORMATION	UN NUMBER	UN PROPER SHIPPING NAME	TRANSPORT HAZARD CLASS(S)	PACKING GROUP	LABEL
49CFR/DOT	NONE.	NOT REGULATED.	NOT REGULATED	NONE	NO PLACARD REQUIRED
49CFR/DOT ADDITIONAL INFORMATION	NONE				

**SPECIAL PRECAUTIONS FOR USER:**

APPROPRIATE ADVICE ON SAFETY MUST ACCOMPANY THE PACKAGE.

**ENVIRONMENTAL HAZARDS:**

ALTHOUGH THIS PRODUCT DOES NOT MEET THE CRITERIA FOR AN ENVIRONMENTALLY HAZARDOUS MIXTURE, ACCORDING TO THE IMDG CODE, THIS PRODUCT DOES CONTAIN SUBSTANCES TOXIC FOR THE ENVIRONMENT. SEE ECOLOGICAL INFORMATION, SECTION 12.

TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: THIS INFORMATION IS NOT AVAILABLE.

**SECTION 15. REGULATORY INFORMATION****US FEDERAL INFORMATION:**

COMPONENTS LISTED BELOW ARE PRESENT ON THE FOLLOWING U.S. FEDERAL CHEMICAL

## LISTS:

INGREDIENTS	CAS #	TSCA INVENTORY	CERCLA REPORTABLE QUANTITY(RQ) (40 CFR 117.302):
GLYCERIN	56-81-5	YES	N/AP
SODIUM LAURYL ETHER SULFATE	9004-82-4	YES	N/AP
COCONUT DIETHANOLAMIDE	68603-42-9	YES	N/AP
ETHANOL	64-17-5	YES	N/AP

INGREDIENTS	SARA TITLE III: SEC. 302, EXTREMELY HAZARDOUS SUBSTANCE, 40 CFR 355:	SARA TITLE III: SEC 313, 40 CFR 372, SPECIFIC TOXIC CHEMICAL TOXIC CHEMICAL	DE MINIMUS CONCENTRATION
GLYCERIN	N/AP	NO	N/AP
SODIUM LAURYL ETHER SULFATE	N/AP	NO	N/AP
COCONUT DIETHANOLAMIDE	N/AP	NO	N/AP
ETHANOL	N/AP	NO	N/AP

SARA TITLE III:  
SEC. 311 AND 312, MSDS REQUIREMENTS, 40 CFR 370 HAZARD CLASSES:  
ACUTE HEALTH HAZARD. CHRONIC HEALTH HAZARD. UNDER SARA SECTIONS 311 AND  
312, THE EPA HAS ESTABLISHED THRESHOLD QUANTITIES FOR THE REPORTING OF  
HAZARDOUS CHEMICALS. THE CURRENT THRESHOLDS ARE 500 POUNDS FOR THE  
THRESHOLD PLANNING QUANTITY (TPQ), WHICHEVER IS LOWER, FOR EXTREMELY  
HAZARDOUS SUBSTANCES AND 10,000 POUNDS FOR ALL OTHER HAZARDOUS CHEMICALS.

## US STATE RIGHT TO KNOW LAWS:

THE FOLLOWING CHEMICALS ARE SPECIFICALLY LISTED BY INDIVIDUAL STATES:

INGREDIENTS	CAS #	CALIFORNIA		STATE "RIGHT TO KNOW" LISTS					
		PROPOSITION 65 LISTED	TYPE OF TOXICITY	CA	MA	MN	NJ	PA	RI
GLYCERIN	56-81-5	NO	N/AP	NO	YES	YES	YES	YES	YES
SODIUM LAURYL ETHER SULFATE	9004-82-4	NO	N/AP	NO	NO	NO	NO	NO	NO
COCONUT DIETHANOL- AMIDE	68603-42-9	YES	CARCINOGEN	NO	NO	NO	NO	NO	NO
ETHANOL	64-17-5	NO	N/AP	YES	YES	YES	YES	YES	YES

## CANADIAN INFORMATION:

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) INFORMATION:  
ALL INGREDIENTS LISTED APPEAR ON THE DOMESTIC SUBSTANCES LIST (DSL).

## INTERNATIONAL INFORMATION:

COMPONENTS LISTED BELOW ARE PRESENT ON THE FOLLOWING INTERNATIONAL  
INVENTORY LISTS:

INGREDIENTS	CAS #	EUROPEAN EINECS	AUSTRALIA AICS	PHILIPPINES PICCS
GLYCERIN	56-81-5	200-289-5	PRESENT	PRESENT
SODIUM LAURYL ETHER SULFATE	9004-82-4	N/AV	PRESENT	PRESENT
COCONUT DIETHANOLAMIDE	68603-42-9	271-657-0	PRESENT	PRESENT
ETHANOL	64-17-5	200-578-6	PRESENT	PRESENT

  

INGREDIENTS	JAPAN ENCS	KOREA KECI/KECL	CHINA IECSC	NEWZEALAND IOC
GLYCERIN	(7)-338; (2)-242	KE-29297	PRESENT	NOT LISTED
SODIUM LAURYL ETHER SULFATE	(7)-120	KE-32427	PRESENT	HSR003434
COCONUT DIETHANOLAMIDE	(8)-311	KE-03192	PRESENT	HSR003347
ETHANOL	(2)-202	KE-13217	PRESENT	HSR001144

**SECTION 16. OTHER INFORMATION**

## LEGEND:

ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

AICS: AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES

CAS: CHEMICAL ABSTRACT SERVICES

## CERCLA:

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT OF 1980

CFR: CODE OF FEDERAL REGULATIONS

CNS: CENTRAL NERVOUS SYSTEM

DOT: DEPARTMENT OF TRANSPORTATION

EINECS: EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES

ENCS: EXISTING AND NEW CHEMICAL SUBSTANCES

HMIS: HAZARDOUS MATERIALS IDENTIFICATION SYSTEM

HSDB: HAZARDOUS SUBSTANCES DATA BANK

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

INH: INHALATION

IOC: INVENTORY OF CHEMICALS

KECI: KOREAN EXISTING CHEMICALS INVENTORY

KECL: KOREAN EXISTING CHEMICALS LIST

LC: LETHAL CONCENTRATION

LD: LETHAL DOSE

MSHA: MINE SAFETY AND HEALTH ADMINISTRATION

N/AP: NOT APPLICABLE

N/AV: NOT AVAILABLE

NFPA: NATIONAL FIRE PROTECTION ASSOCIATION

NIOSH: NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY AND HEALTH

NOEC: NO OBSERVABLE EFFECT CONCENTRATION

NTP: NATIONAL TOXICOLOGY PROGRAM

OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

PEL: PERMISSIBLE EXPOSURE LIMIT

PICCS: PHILIPPINE INVENTORY OF CHEMICALS AND CHEMICAL SUBSTANCES

RCRA: RESOURCE CONSERVATION AND RECOVERY ACT

RTECS: REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES

SARA: SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT

STEL: SHORT TERM EXPOSURE LIMIT

TDG: CANADIAN TRANSPORTATION OF DANGEROUS GOODS ACT & REGULATIONS

TLV: THRESHOLD LIMIT VALUES

TWA: TIME WEIGHTED AVERAGE

WHMIS: WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION SYSTEM

REFERENCES:

1. ACGIH, THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS & BIOLOGICAL EXPOSURE INDICES FOR 2014.
2. INTERNATIONAL AGENCY FOR RESEARCH ON CANCER MONOGRAPHS, SEARCHED 2014.
3. CANADIAN CENTRE FOR OCCUPATIONAL HEALTH AND SAFETY, CCINFOWEB DATABASES, 2014 (CHEMPENDIUM, HSDB AND RTECS).
4. MATERIAL SAFETY DATA SHEETS FROM MANUFACTURER.
5. US EPA TITLE III LIST OF LISTS - OCTOBER 2012
6. CALIFORNIA PROPOSITION 65 LIST - 6 JUNE 2014

PREPARATION DATE (MM/DD/YYYY): 11/25/2014

OTHER SPECIAL CONSIDERATIONS FOR HANDLING:

PROVIDE ADEQUATE INFORMATION, INSTRUCTION AND TRAINING FOR OPERATORS.

HMIS RATING:

HEALTH 1\*  
FLAMMABILITY 1  
REACTIVITY 0

\* - CHRONIC HAZARD

0 - MINIMAL  
1 - SLIGHT  
2 - MODERATE  
3 - SERIOUS  
4 - SEVERE

## NFPA RATING:

HEALTH 1  
FLAMMABILITY 1  
INSTABILITY 0  
SPECIAL HAZARDS NONE.

0 - MINIMAL  
1 - SLIGHT  
2 - MODERATE  
3 - SERIOUS  
4 - SEVERE

## PREPARED FOR:

PARKER HANNIFIN - SPORLAN DIVISION  
206 LANGE DRIVE  
WASHINGTON, MO, 63090  
USA

PARKAR

TELEPHONE: (636) 239-1111

DIRECT ALL ENQUIRIES TO: PARKER HANNIFIN - SPORLAN DIVISION

## PREPARED BY:

ICC THE COMPLIANCE CENTER INC.  
[HTTP://WWW.THECOMPLIANCECENTER.COM](http://www.thecompliancecenter.com)

ICC

COMPLIANCE CENTER

## DISCLAIMER:

THIS SAFETY DATA SHEET WAS PREPARED BY ICC THE COMPLIANCE CENTER INC. USING INFORMATION PROVIDED BY PARKER HANNIFIN CORPORATION AND CCOHS' WEB INFORMATION SERVICE. THE INFORMATION IN THE SAFETY DATA SHEET IS OFFERED FOR YOUR CONSIDERATION AND GUIDANCE WHEN EXPOSED TO THIS PRODUCT. ICC THE COMPLIANCE CENTER INC AND PARKER HANNIFIN CORPORATION EXPRESSLY DISCLAIM ALL EXPRESSED OR IMPLIED WARRANTIES AND ASSUME NO RESPONSIBILITIES FOR THE ACCURACY OR COMPLETENESS OF THE DATA CONTAINED HEREIN. THE DATA IN THIS SDS DOES NOT APPLY TO USE WITH ANY OTHER PRODUCT OR IN ANY OTHER PROCESS.

THIS SAFETY DATA SHEET MAY NOT BE CHANGED, OR ALTERED IN ANY WAY WITHOUT THE EXPRESSED KNOWLEDGE AND PERMISSION OF ICC THE COMPLIANCE CENTER INC. AND PARKER HANNIFIN CORPORATION.